(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
9 June 2005 (09.06.2005)

PCT

(10) International Publication Number
WO 2005/052189 A2

(51) International Patent Classification[7]: C12Q 1/68

(21) International Application Number:
PCT/IB2004/004115

(22) International Filing Date:
26 November 2004 (26.11.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
03292952.3 27 November 2003 (27.11.2003) EP

(71) Applicant *(for all designated States except US)*: **CONSORTIUM NATIONAL DE RECHERCHE EN GENOMIQUE (CNRG)** [FR/FR]; 2, rue Gaston Crémieux, F-91000 Evry (FR).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: **GUT, Ivo, Glynne** [GB/FR]; 18, rue du Moulin Vert, F-75014 Paris (FR). **KUCHARZAK, Ramon** [FR/FR]; 56, rue Olivier Metra, F-75020 Paris (FR).

(74) Agents: **MARTIN, Jean-Jacques**, et al.; Cabinet Regimbeau, 20, rue de Chazelles, F-75847 Paris Cedex 17 (FR).

(81) Designated States *(unless otherwise indicated, for every kind of national protection available)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States *(unless otherwise indicated, for every kind of regional protection available)*: ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD FOR HLA TYPING

(57) Abstract: A method for the identification of DNA sequence elements in complex and highly variable sequences is described. The method consists of identifying a short sequence element of several DNA bases (2-6 bases) at a given position in the genome simultaneously on all parental alleles. The method allows differentiating mini-haplotypes on different alleles in one analysis. The method consists of carrying out an enzymatic primer extension reaction with a combination of extension primers (pool of primers) and analysing the products by mass spectrometry. The pool of primers is assembled in such a way that the primer extension product allows unambiguous identification of both the primer of the pool that was extended and the base that was added. The method is of great utility for DNA sequences harbouring many SNPs close to each other with many possible haplotypes. Such sequences are known in the Major Histocompatibility Complex (MHC). This method is particularly well suited for DNA-based HLA typing and in combination with a suitable selection of sites tested, it is superior in ease of operation to conventional HLA typing methods. We have identified sets of these assays for HLA-A, HLA-B, and HLA-DRB 1 that allow unambiguous four-digit HLA of each of these genes with between 11 and 28 queried markers.

WO 2005/052189 A2

BNSDOCID: <WO____2005052189A2_I_>

Method for HLA typing

The present invention relates to a method for HLA typing by the unambiguous determination of short DNA sequence elements (2-6 bases) at a given position simultaneously on both parental alleles at a selected number of positions in HLA genes, comprised of the steps for each position of a) hybridising a combination of oligonucleotides (primers) complementary to all known sequence variants to a DNA strand upstream of a given position; b) carrying out a primer extension reaction with at least one of the four dNTP substrates substituted by a terminating analog; c) analysing the products by mass spectrometry, with the resulting masses allowing unambiguous identification of the used primers and the added bases. This method is particularly well suited for DNA-based HLA typing and in combination with a suitable selection of sites tested, it is superior in ease of operation to conventional HLA typing methods.

The most important of the genome projects, the complete sequence of the human genome, is finished. This project reveals the complete sequence of the 3 billion bases and the relative positions of all estimated 30.000 genes in this genome. Having this sequence opens unlimited possibilities for the elucidation of gene function and interaction of different genes. In recent years a systematic effort (SNP consortium) has been underway to identify single nucleotide polymorphisms (SNPs) throughout the human genome and so far several million of these differences between different human beings have been identified (dbSNP contained 5.5 million SNPs in October 2003).

Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry (MALDI) has revolutionized the mass spectrometric analysis of biomolecules (Karas, M. & Hillenkamp, F. *Anal. Chem.* **60**, 2299-2301 (1988)). The field of DNA analysis by mass spectrometry was recently extensively reviewed by Tost and Gut (Mass Spectrometry Reviews, **21**, 388-418 (2002)) and Sauer and Gut (Journal of Chromatography B, **782**, 73-87, (2002)). MALDI has been applied to the analysis of DNA in variations that range from the analysis of PCR products to approaches using allele-specific termination to single nucleotide primer extension reactions and sequencing (Liu, Y.-H., *et al. Rapid Commun. Mass Spectrom.* **9**, 735-743 (1995);

BNSDOCID: <WO_____2005052189A2_I_>

Ch'ang, L.-Y., *et al. Rapid Commun. Mass Spectrom.* **9**, 772-774 (1995); Little, D.P., *et al. J. Mol. Med.* **75**, 745-750 (1997); Haff, L. & Smirnov, I.P. *Genome Res.* **7**, 378-388 (1997), Fei, Z., Ono, T. & Smith, L.M. *Nucleic Acids Res.* **26**, 2827-2828 (1998); Ross, P., Hall, L., Smirnov, I. & Haff, L. *Nature Biotech.* **16**, 1347-1351 (1998); Ross, P.L., Lee, K. & Belgrader, P. *Anal. Chem.* **69**, 4197-4202 (1997); Griffin, T.J., Tang, W. & Smith, L.M. *Nature Biotech.* **15**, 1368-1372 (1997); Köster, H., Higgins, G.S & Little, D.P. US Patent 6,043,031). These methods are used to genotype previously identified mutations, SNPs, or insertion/deletions (indels). Spin column purification and/or magnetic bead technology, reversed-phase purification, or ion-exchange resins are frequently applied prior to mass spectrometric analysis.

The GOOD assay (IG Gut et S. Beck: US 6,268,812 ; IG Gut et al: US 6,503,710) is a method for SNP genotyping that uses MALDI mass spectrometry for detection (Sauer et al. 28, e13 and e100 (2000)). Allele-distinction is based on primer extension. In order to make products more amenable to MALDI analysis a substantial part of the primer is removed prior to mass spectrometric analysis. A further element that is included is charge tagging. This means that the final product is conditioned such that it carries either a single positive or a single negative charge. Generally this is achieved by alkylation of a phosphorothioate backbone and in some instances including a quaternary ammonium group to the penultimate base of the primer. The attachment of the quaternary ammonium group gives options for the design of multiplexes - individual SNPs can be moved up or down in the mass spectrum to achieve optimal resolution and separation.

The major histocompatibility complex (MHC) of humans is a cluster of genes on chromosome 6p21. It is of greatest importance as many diseases show association with genes in this region of the genome. All human leukocyte antigen (HLA) coding genes are found in the MHC. The HLA genes are highly variable and implicated in tissue transplantation, immunity and autoimmune disease such as diabetes, psoriasis, lupus, Crohn's disease, colitis, arthritis, and others. The HLA class I genes are HLA-A, HLA-B, HLA-C, ... The HLA class II genes are HLA-DR, HLA-DQ, HLA-DP,....

BNSDOCID: <WO_____2005052189A2_I_>

HLA typing methods differ dramatically in their approaches. Serological tests can be carried out but have only limited resolution. In the last 15 years the DNA sequence of the MHC has been extensively studied and high resolution typing now makes use of a wealth of DNA sequence information. Methods for DNA based HLA typing range from SSA (sequence specific amplification) where combinations of primers that are specific for different alleles are used to carry out PCR (US 5,545,526). Primers are combined in a way that the sizing of the PCR products allows unambiguous assignment of present base combinations. Multiple combinations are used to identify HLA types. The procedure works its way through a tree of combinations starting with a grouping into rough classes from where on further tests are carried out with specific reagents to subdivide in a class. This method is also known as SSP (sequence specific primers). An alternative method is termed SSOP (sequence specific oligonucleotide probes; US 6,503,707). Here a locus specific PCR is carried out followed by hybridisation with sequence specific oligonucleotide probes. As sequencing technology (and in particular the software for sequence calling) has dramatically improved over the last decade it now is also possible to gain a good degree of identification of HLA types by sequencing (WO 98/35059). Effectively a locus-specific PCR product is sequenced. Problems that arise here are that heterozygous individuals occasionally give rise to ambiguous haplotype calls that can not be resolved (Robinson, J.; Waller, M.J.; Marsh, St.G.E.: "Exon Identities and Ambiguous Typing Combinations"; IMGT/HLA Database; October 2003). The inclusion of allele-specific PCR helps achieve certainty. Resolution requires multiple products per locus to be generated and sequenced. However, as sequencing results can be very convoluted the interpretation in absence of allele-specific PCR can be cumbersome. All together the sequence-based typing requires many iterations in application. Reference strand mediated conformation analysis (RSCA) is a method used to study samples that potentially have a previously unknown sequence in their HLA (Correl et al., Tissue Antigens 56, 82-86, 2000). For a recent review for the reasoning of HLA typing as well as methodological advances see Petersdorf et al. (Tissue Antigens, 61, 1-11, 2003).

BNSDOCID: <WO_____2005052189A2_I_>

The inventors have thus set themselves the task of providing an easy method for the simultaneous capture of all parental mini-haplotypes in highly polymorphic regions of genomes. The procedure has to be executable on a cost-effective genotyping platform. The method should be particularly applicable for HLA typing. It is an aim to resolve frequent and rare HLA alleles as well as possible.

The object of the present invention is a method for HLA typing by the unambiguous determination of short DNA sequence elements (2-6 bases) simultaneously on both parental alleles at a selected number of positions in HLA genes, comprised of the steps for each position of a) hybridising a combination of oligonucleotides (primer pool) complementary to all known sequence variants to a DNA strand upstream of a given position; b) carrying out a primer extension reaction with at least one of the four dNTP substrates substituted by a terminating analog; c) analysing the products by mass spectrometry, with the resulting masses allowing unambiguous identification of the used primers and the added bases.

In the present invention:

- "HLA" means the human leukocyte antigen locus on chromosome 6p21, consisting of HLA genes (HLA-A, HLA-B, HLA-C, HLA-DRB1,...) that are used to determine the degree of matching, for example, between a recipient and a donor of a tissue graft.
- "HLA typing" means the identification of a known HLA allele of a given locus (HLA-A, HLA-B, HLA-C, HLA-DRB1,...).
- "HLA allele" means a nucleotide sequence within a locus on one of the two parental chromosomes.
- "HLA-A" means the DNA sequence of exons 2 and 3 of the HLA-A gene.
- "HLA-B" means the DNA sequence of exons 2 and 3 of the HLA-B gene.
- "HLA-DRB1" means the DNA sequence of exon 2 of the HLA-DRB1 gene.
- "Polymorphism" means individual positions in a DNA sequence that exist in different variants.
- "Haplotype" means the DNA sequence of one of the two alleles in a give region of the genome.

BNSDOCID: <WO_____2005052189A2_I_>

- "Mini-haplotype" means 2-6 contiguous bases on one parental allele.
- "Primer pools" or "pools of primers" means sets of primers that are used in one primer extension reaction. For each known HLA allele at least one primer is in the pool that is completely complementary in sequence. This assures perfect annealing. Mismatches that are more than 4 bases from the 3'end of the primer do not affect the results of the GOOD assay, as all of those bases are removed by 5'phosphodiesterase after the primer extension reaction. Primers of the pool containing mismatches in the last few bases are not extended by the DNA polymerase and thus not observable.
- "MALDI mass spectrometer" means a mass spectrometer that uses matrix-assisted laser desorption/ionization for the volatilisation of a sample and time-of-flight analysis for mass separation.
- "Subgroup" means alleles, which are identical after the mini-haplotyping of the first set of selected positions. For the high resolution typing we resolve subgroups generated with 10 mini-haplotyping reactions. The criteria for resolving subgroups are: a) they still contain alleles with different two-digit types, b) subgroups with more than four alleles, and c) subgroups with frequent alleles (see list below).

Here we show a methodology for the determination of sequence motifs of 2-6 bases in very polymorphic regions of genomes. In principle this methods equates to the determination of mini-haplotypes of 2-6 bases. The individual parental mini-haplotypes can be determined in one reaction without ambiguities. This methodology is applied to a chosen set of positions for HLA typing of HLA-A, HLA-B, and HLA-DRB1. The sets disclosed here have different purposes. First sets of 19, 19, and 10 positions are suggested to distinguish a maximum of HLA alleles in HLA-A, HLA-B, and HLA-DRB1, respectively, with respect to differentiating alleles that are frequent in the general population from ones that are rare. The frequent alleles that were screened for are A*0101, A*0201, A*0301, A*2301, A*2402, A*2902, A*3001 and A*3002 for HLA-A, B*0702, B*0801, B*1302, B*1501, B*1801, B*3501, B*3503, B*4001, B*4402, B*4403, B*5101 and B*5701 for HLA-B, and DRB1*0101, DRB1*0301, DRB1*0401, DRB1*0701,

BNSDOCID: <WO_____2005052189A2_I_>

DRB1*1101, DRB1*1104, DRB1*1302 and DRB1*1501 for HLA-DRB1. This set of markers provides unambiguous identification of frequent HLA alleles with 93.4 - 100 % certainty in HLA-A, 97.6 - 100 % in HLA-B, and 97.2 - 100 % in HLA-DRB1.

A second set of 10 positions each in HLA-A, HLA-B, and HLA-DRB1, respectively are described that provide a maximum number of subgroups, that can then be further resolved by the addition of a set of subgroup specific positions. Again the ten positions in each locus were chosen on the basis of providing best distinction between the frequent HLA alleles listed above from the rest of the HLA alleles (rare). This resulted in groups containing 2-30 HLA alleles depending on the locus. Within each group a number of positions can be tested to provide resolution between the HLA alleles within the group. The number of positions that have to be additionally analysed range from 1-25 in order to achieve 4-digit resolution. With this technology HLA typing can be carried out at a substantially reduced cost with a proven high-throughput detection platform (MALDI mass spectrometry).

In a preferred embodiment of the method of the invention, the DNA strand of step a) is produced by a DNA replication procedure such as PCR or rolling circle replication.

A set of locus-specific PCR reactions for the selective amplification of each locus is described by the International Histocompatibility Working Group, Technical Manuals (www.ihwg.org/tmanual/Tmcontents.htm).

In a very preferred embodiment of the method of the invention, a combination of primers (pools of primers) contains slightly varying sequences so that all known sequences of the HLA alleles are accommodated by a perfectly matching primer. The pool of primers guarantees that at least one primer is perfectly matched. The hybridised oligonucleotides of the primer pool are extended onto a polymorphic position. A requirement is that the added base together with the base composition of the primer gives a unique mass. The detection of this mass in the mass spectrometric profile indicates the presence of a sequence containing both the complementary sequence of the primer and the added base. In order to make all primers of a primer pool distinguishable by mass it is possible to add different mass

BNSDOCID: <WO_____2005052189A2_I_>

shifting agents to the primers. The easiest way to accomplish this is by using charge/mass tagging technology such as is used in the GOOD assay. The penultimate base from the 3'end of the primer is amino-modified and used to add tags via NHS-ester chemistry. The pools of primers of course contain primers that sometimes differ by as little as one base. Sequences identical in base content can still be distinguished by the suitable selection of mass tags. Also, we have found that a primer carrying a mismatch in the last eight bases from the 3'end even if it anneals is not extended by the polymerase and thus screened out. This might be due to insufficient hybridisation or a resistance of the DNA polymerase to attach or extend when a mismatch is present. We thus make use of two effects for our mini-haplotyping: 1) allele-specific hybridisation and 2) allele-specific primer extension. Mismatches that are further than four bases away from the 3'end of the extension primer do not result in increased complexity of the mass spectra as they are removed in the 5'phosphodiesterase digestion step of the GOOD assay.

In a preferred embodiment of the method of the invention, mass shifting tags are added to the individual primers sequences of a primer pool to make them uniquely distinguishable once the terminating base is added.

In another preferred embodiment of the method of the invention, termination products for know alleles are generated by extending the perfectly hybridised primer with a combination of dNTPs and ddNTPs or analogues thereof with a DNA polymerase to generate specific termination products to make them uniquely distinguishable by their mass.

In a preferred embodiment of the method of the invention, the GOOD assay is used. It typically applies single base primer extension, thus only the four terminating bases (ddNTPs) or synthetic analogues with the same qualities in terms of DNA polymerase tolerance are used for primer extension. α-S-ddNTPs are very suitable analogues.

In a preferred embodiment of the method of the invention, mass spectrometry, in particular MALDI or ESI mass spectrometry is used for analysis of the masses of products.

For HLA typing a set of said mini-haplotyping assays has to be carried out to achieve sufficient information content.

BNSDOCID: <WO_____2005052189A2_I_>

For HLA typing of HLA-A the preferred set of assays are those of positions 98, 414, 539, 282, 571, 368, 256, 292, 238, 270, 453, 527, 502, 81, 268, 559, 92, 123 and 396 (according to the numbering of the HLA-A gene starting at cDNA sequence position 1 of exon 1; see Figure 1). This results in medium resolution HLA typing. The input criteria for the selection are the frequency of HLA alleles. Some HLA types are identified unambiguously.

For HLA typing of HLA-B accordingly the following positions are preferably analysed by mini-haplotyping assays to achieve medium resolution: 539, 419, 559, 412, 272, 362, 302, 363, 206, 369, 259, 97, 583, 292, 222, 527, 418, 435 and 571 (according to the numbering of the HLA-B gene starting at cDNA sequence position 1 of exon 1; see Figure 2).

For HLA typing of HLA-DRB1 accordingly the following positions are preferably analysed by mini-haplotyping to achieve medium resolution: 125, 196, 197, 227, 261, 286, 299, 308, 341 and 345 (according to the numbering of the HLA-DRB1 gene starting at cDNA sequence position 1 of exon 1; see Figure 3).

In a preferred embodiment for high resolution HLA typing of HLA-A positions 98, 414, 539, 282, 571, 368, 256, 292, 238 and 270 (according to the numbering of the HLA-A gene starting at cDNA sequence position 1 of exon 1; see Figure 4) are used for mini-haplotyping to generate sub-groups (HLA-A_A, HLA-A_B, HLA-A_C, HLA-A_D, HLA-A_E, HLA-A_F, HLA-A_G, HLA-A_H, HLA-A_I, HLA-A_J, HLA-A_K, HLA-A_L, HLA-A_M, HLA-A_N, and HLA-A_O; see Table I). Positions 224, 268, 376, 502, 561 and 616 are preferably analysed to resolve subgroup HLA-A_A (sequences identical over exons 2 and 3 for alleles A*29010101 and A*29010102); positions 126 and 526 to resolve subgroup HLA-A_B; positions 81, 90, 92, 212, 214, 257, 265, 299, 302, 404, 420, 427, 453, 485, 489 and 502 to resolve subgroup HLA-A_C (sequences identical over exons 2 and 3 for alleles A*24020101, A*24020102L, A*240203, A*2409N and A*2411N); positions 160, 200, 362 and 524 to resolve subgroup HLA-A_D; positions 180, 299, 301, 302, 346, 418, 453, 517, 524, 526, 527, 557, 559 and 560 to resolve subgroup HLA-A_E; positions 299, 301, 302, 341 and 583 to resolve subgroup HLA-A_F; positions 127, 341, 399, 480, 502, 503, 524, 526, 527, 553, 559, 560 and 565 to resolve subgroup HLA-A_G; positions 228, 233, 463, 519, 530 and 583 to resolve

BNSDOCID: <WO_____2005052189A2_I_>

subgroup HLA-A_H; positions 102, 275, 317, 362, 418, 419, 497, 524, 555, 595 and 618 to resolve subgroup HLA-A_I (sequences identical over exons 2 and 3 for alleles A*680102 and A*6811N); positions 92, 331, 453, 524, 559, 560 and 564 to resolve subgroup HLA-A_J; positions 78, 81, 123, 125, 142, 144, 194, 268, 294, 324, 355, 362, 396, 403, 419, 453, 456, 477, 493, 517, 524, 526, 527, 559 and 560 to resolve subgroup HLA-A_K (sequences identical over exons 2 and 3 for alleles A*02010101, A*02010102, A*020108, A*0209, A*0243N and A*0266); positions 113, 299, 301, 302, 308, 311, 523, 524 to resolve subgroup HLA-A_L; positions 171, 363, 498 and 559 to resolve subgroup HLA-A_M; positions 376, 426, 527, 555, 557 and 595 to resolve subgroup HLA-A_N; position 299 to resolve subgroup HLA-A_O.

BNSDOCID: <WO_____2005052189A2_I_>

TABLE I

Subgroups of HLA-A	Alleles of Subgroups	Positions to resolve Subgroups
HLA-A_A	A*29010101, A*29010102, A*290201, A*290202, A*2904, A*2906, A*2908N, A*2909	224, 268, 376, 502, 561, 616
HLA-A_B	A*3002, A*3009, A*3012	126, 526
HLA-A_C	A*24020101, A*24020102L, A*240202, A*240203, A*240204, A*2404, A*2405, A*2408, A*2409N, A*2411N, A*2420, A*2421, A*2425, A*2426, A*2427, A*2429, A*2432, A*2435, A*2436N, A*2437, A*2438, A*2439	81, 90, 92, 212, 214, 257, 265, 299, 302, 404, 420, 427, 453, 485, 485, 489, 502
HLA-A_D	A*0206, A*0214, A*0221, A*0251, A*0257	160, 200, 362, 524
HLA-A_E	A*250101, A*250102, A*2601, A*2604, A*2605, A*2609, A*2610, A*2611N, A*2612, A*2614, A*2615, A*2617, A*2618, A*6603	180, 299, 301, 302, 346, 418, 453, 517, 524, 526, 527, 557, 559, 560
HLA-A_F	A*2502, A*2613, A*6601, A*6602, A*6604	299, 301, 302, 341, 583
HLA-A_G	A*110101, A*110102, A*1102, A*1103, A*1104, A*1105, A*1107, A*1109, A*1112, A*1113, A*1114, A*1115	127, 341, 399, 480, 502, 503, 524, 526, 527, 553, 559, 560, 565
HLA-A_H	A*3301, A*330301, A*330302, A*3304, A*3305, A*3306, A*3307	228, 233, 463, 519, 530, 583
HLA-A_I	A*680101, A*680102, A*680103, A*6807, A*6811N, A*6812, A*6816, A*6817, A*6819, A*6821, A*6822, A*6823, A*6824	102, 275, 317, 362, 418, 419, 497, 524, 555, 595, 618
HLA-A_J	A*2301, A*2303, A*2305, A*2306, A*2307N, A*2308N, A*2310, A*2413	92, 331, 453, 524, 556, 560, 564
HLA-A_K	A*02010101, A*02010102, A*020102, A*020103, A*020104, A*020105, A*020106, A*020107, A*020108, A*020109, A*0204, A*0209, A*0216, A*0224, A*0225, A*0226, A*0229, A*0230, A*0231, A*0232N, 0A*0240, A*0242, A*0243N, A*0258, A*0259, A*0260, A*0264, A*0266, A*0267, A*0253N	78, 81, 123, 125, 142, 144, 194, 268, 294, 324, 355, 362, 396, 403, 419, 453, 419, 453, 456, 477, 493, 517, 524, 526, 527, 559, 560
HLA-A_L	A*3201, A*3203, A*3206, A*7401, A*7402, A*7403, A*7408, A*7409	113, 299, 301, 302, 308, 311, 523, 524
HLA-A_M	A*010101, A*010102, A*0103, A*0104N, A*0108, A*0109	171, 363, 498, 559
HLA-A_N	A*03010101, A*03010102, A*0303N, A*0304, A*0305, A*0306, A*0307, A*0311N	376, 426, 527, 555, 557, 595
HLA-A_O	A*2504, A*2608	299

BNSDOCID: <WO_____2005052189A2_I_>

In a preferred embodiment for high resolution, HLA typing of HLA-B positions 539, 419, 559, 412, 272, 362, 302, 363, 206 and 369 (according to the numbering of the HLA-B gene starting at cDNA sequence position 1 of exon 1; see Figure 5) are used for mini-haplotyping to generate sub-groups (HLA-B_A, HLA-B_B, HLA-B_C, HLA-B_D, HLA-B_E, HLA-B_F, HLA-B_G, HLA-B_H, HLA-B_I, HLA-B_J, HLA-B_K, HLA-B_L, HLA-B_M, HLA-B_N, HLA-B_O, HLA-B_P, HLA-B_Q, HLA-B_R, HLA-B_S, HLA-B_T, HLA-B_U, HLA-B_V, HLA-B_W, HLA-B_X, HLA-B_Y, HLA-B_Z, HLA-B_AA, HLA-B_AB and HLA-B_AC ; see Table II).

Positions 259, 341 and 473 are preferably analyzed to resolve subgroup HLA-B_A (sequences identical over exons 2 and 3 for alleles B*0801 and B*0819N); positions 106, 144, 222, 259, 273, 311, 313, 418, 445, 493, 528 and 540 to resolve subgroup HLA-B_B (sequences identical over exons 2 and 3 for alleles B*44020101, B*44020102, B*4419N and B*4427); positions 319, 416, 545 and 572 to resolve subgroup HLA-B_C; positions 106, 131, 165, 215, 243, 277, 292, 322, 481, 582, 603 and 616 to resolve subgroup HLA-B_D; positions 106, 146, 165, 181, 238, 259, 263, 292, 328.1/329(insert for B*1579N), 379, 435, 453, 463, 485, 526, 571, 572 and 583 to resolve subgroup HLA-B_E (sequences identical over exons 2 and 3 for alleles B*15010101 and B*15010102); positions 142, 171, 255, 257, 395, 430, 544, 566 and 572 to resolve subgroup HLA-B_F; positions 117, 247, 248, 277, 345, 418, 489 and 527 to resolve subgroup HLA-B_G (sequences identical over exons 2 and 3 for alleles B*270502, B*270504 and B*2713); positions 134, 141, 200, 213, 259, 304 and 527 to resolve subgroup HLA-B_H; positions 83, 141, 211, 222, 242, 322, 404, 414, 435, 463, 502, 527, 544, 571, 572 and 583 to resolve subgroup HLA-B_I (sequences identical over exons 2 and for alleles B*510101, B*510105, B*5111N, B*5130 and B*5132); positions 103, 142, 222, 243, 259, 292, 477, 486 and 499 to resolve subgroup HLA-B_J (sequences identical over exons 2 and 3 for alleles B*400101 and B*400102); positions 103, 259, 292, 295, 527 and 583 to resolve subgroup HLA-B_K (sequences identical over exons 2 and 3 for alleles B*180101 and B*1817N); positions 320 and 500 to resolve subgroup HLA-B_L; positions 311, 527 and 583 to resolve subgroup HLA-B_M; positions 119, 292, 259, 319, 425, 527, 546 and 583 to resolve subgroup HLA-B_N (sequences identical over exons 2 and 3 for alleles B*350101, B*3540N and B*3542); positions 97, 142, 245 and 527 to resolve subgroup HLA-B_O; positions 97 and 175 to resolve subgroup HLA-B_P; positions

BNSDOCID: <WO____2005052189A2_I_>

TABLE II

Subgroups of HLA-B	*Alleles of the subgroup*	*Positions to resolve Subgroups*
HLA-B_A	B*0801, B*0808N, B*0810, B*0818, B*0819N	259, 341, 473
HLA-B_B	B*44020101, B*44020102S, B*440202, B*440203, B*4405, B*4411, B*4412, B*4419N, B*4422, B*4423N, B*4424, B*4425, B*4427, B*4433, B*4434, B*4435	106, 144, 222, 259, 273 311, 313, 418 445, 493, 528, 540
HLA-B_C	B*4415, B*4501, B*4503, B*4504, B*4505	319, 416, 545, 572
HLA-B_D	B*070201, B*070202, B*070203, B*070204, B*0703, B*0716, B*0721, B*0722, B*0723, B*0729, B*0730, B*0733, B*0735	106, 131, 165, 215, 243, 277, 292, 322, 481, 582, 603 , 616
HLA-B_E	B*15010101, B*15010102, B*150102, B*150103, B*150104, B*1512, B*1514, B*1515, B*1519, B*1528, B*1533, B*1534, B*1538, B*1560, B*1570, B*1571, B*1575, B*1578, B*1579N, B*1581, B*1582	106, 146, 165, 181, 238, 259, 263, 292, 328.1/329, 379, 435, 453, 463, 485, 526, 571, 572 , 583
HLA-B_F	B*440301, B*4413, B*4426, B*4429, B*4430, B*4432, B*4436, B*4437, B*4438, B*4439	142, 171, 255, 257, 395, 430, 544, 566 , 572
HLA-B_G	B*2703, B*270502, B*270503, B*270504, B*270505, B*270506, B*2709, B*2710, B*2713, B*2716, B*2717	117, 247, 248, 277, 345, 418, 489 , 527
HLA-B_H	B*5107, B*520101, B*520102, B*520103, B*520104, B*5203, B*5204, B*5205	134, 141, 200, 213, 259, 304 , 527
HLA-B_I	B*510101, B*510102, B*510103, B*510104, B*510105, B*510201, B*510202, B*5103, B*5109, B*5111N, B*5112, B*5114, B*5118, B*5119, B*5123, B*5124, B*5126, B*5127N, B*5128, B*5130, B*5132, B*5133	83, 141, 211, 222, 242, 322, 404, 414, 435, 463, 502, 527, 544, 571, 572 , 583
HLA-B_J	B*400101, B*400102, B*400103, B*4010, B*4011, B*401401, B*401402, B*401403, B*4022N, B*4025, B*4043	103, 142, 222, 243, 259, 292, 477, 486 , 499
HLA-B_K	B*180101, B*180102, B*1803, B*1804, B*1805, B*1811, B*1812, B*1815, B*1817N	103, 259, 292, 295, 527 , 583
HLA-B_L	B*570101, B*5706, B*5708	320, 500
HLA-B_M	B*3527, B*5301, B*5302, B*5306, B*5308	311, 527 , 583
HLA-B_N	B*350101, B*350102, B*3507, B*3510, B*3511, B*3521, B*3524, B*3529, B*3540N, B*3541, B*3542, B*5305	119, 292, 259, 319, 425, 527, 546 , 583
HLA-B_O	B*5501, B*5502, B*5505, B*5510, B*5516	97, 142, 245, 527
HLA-B_P	B*5401, B*5402, B*5507	97 , 175

BNSDOCID: <WO_____2005052189A2_I_>

HLA-B_Q	B*3910, B*670101, B*670102	246, 277
HLA-B_R	B*3803, B*390201, B*390202, B*3913, B*3923	246, 292, 311 , 503
HLA-B_S	B*3801, B*380201, B*380202, B*3804, B*3805, B*3809	103, 261, 309, 311 , 474
HLA-B_T	B*390101, B*390103, B*390104, B*3904, B*3905, B*3912, B*3922, B*3925N, B*3926	97, 103, 106, 243, 259, 292, 404 , 524
HLA-B_U	B*3503, B*3513, B*3536	259 , 320
HLA-B_V	B*0734, B*5504	106
HLA-B_W	B*4047, B* 4431	97
HLA-B_X	B*4002, B*4027, B*4029, B*4035, B*4040, B*4045	97, 106, 257, 418, 463
HLA-B_Y	B*400104, B*4004	106
HLA-B_Z	B*4012, B*4046, B*4803	106, 144
HLA-B_AA	B*2703, B*270502, B*270503, B*270504, B*270505, B*270506, B*2709, B*2710, B*2713, B*2716, B*2717	117, 247, 248, 283, 345, 418, 489, 527
HLA-B_AB	B*1562, B*4802	106
HLA-B_AC	B*1302, B*1308	548

246 and 277 to resolve subgroup HLA-B_Q; positions 246, 292, 311 and 503 to resolve subgroup HLA-B_R; positions 103, 261, 309, 311 and 474 to resolve subgroup HLA-B_S; positions 97, 103, 106, 243, 259, 292, 404 and 524 to resolve subgroup HLA-B_T (sequences identical over exons 2 and 3 for alleles B*390101 and B*390103); positions 259 and 320 to resolve subgroup HLA-B_U; position 106 to resolve HLA-B_V; positions 97 to resolve HLA-B_W; positions 97, 106, 257, 418 and 463 to resolve HLA-B_X; position 106 to resolve HLA-B_Y; positions 106 and 144 to resolve HLA-B_Z; positions 117, 247, 248, 283, 345, 418, 489, and 527 to resolve HLA-B_AA; positions 106 to resolve HLA-B_AB; positions 548 to resolve HLA-B_AC.

In a preferred embodiment, the method for HLA typing resolves groups A-P of HLA-DRB1.

For high resolution, HLA typing of HLA-DRB1 positions are: 125, 196, 197, 227, 261, 286, 299, 308, 341 and 345 (according to the numbering of the HLA-DRB1 gene starting at DNA sequence position 1 of exon 1; see Figure 6) are used for mini-haplotyping to generate sub-groups (HLA-DRB1_A, HLA-DRB1_B, HLA-DRB1_C, HLA-DRB1_D, HLA-DRB1_E, HLA-DRB1_F, HLA-DRB1_G, HLA-DRB1_H, HLA-DRB1_I, HLA-DRB1_J, HLA-DRB1_K, HLA-DRB1_L, HLA-DRB1_M, HLA-DRB1_N, HLA-DRB1_O, HLA-DRB1_P; see Table III).

BNSDOCID: <WO_____2005052189A2_I_>

In a very preferred embodiment, positions 123, 174, 250, 278 and 317 are analysed to resolve subgroup HLA-DRB1_A; positions 192, 203, 256 and 259 to resolve subgroup HLA-DRB1_B; 256, 260, 317 and 351 to resolve subgroup HLA-DRB1_C; positions 155, 204, 233, 239, 256, 304, 357 and 366 to resolve subgroup HLA-DRB1_D; positions 122, 171, 257 and 317 to resolve subgroup HLA-DRB1_E; positions 164, 167, 171, 230, 235, 306, 317, 321 and 337 to resolve subgroup HLA-DRB1_F; positions 164, 257, 266 and 303 to resolve subgroup HLA-DRB1_G; positions 164, 181, 188, 220, 229, 256, 266, 317 and 318 to resolve subgroup HLA-DRB1_H; position 257 to resolve subgroup HLA-DRB1_I; positions 181, 239 and 357 to resolve subgroup HLA-DRB1_J; positions 122, 144, 239, 303, 317, 318 and 321 to resolve subgroup HLA-DRB1_K (sequences identical over exons 2 and 3 for alleles DRB1*110101 and DRB1*110102); positions 118, 161, 257, 260, 318 and 321 to resolve subgroup HLA-DRB1_L; positions 165, 257, 293 and 303 to resolve subgroup HLA-DRB1_M (sequences identical over exons 2 and 3 for alleles DRB1*120101 and DRB1*1206); positions 177, 240, 256, 257 and 357 to resolve subgroup HLA-DRB1_N; positions 150 175, 230, 236 and 321 to resolve subgroup HLA-DRB1_O (sequences identical over exons 2 and 3 for alleles DRB1*150101 and DRB1*1513); positions 115, 220 and 317 to resolve subgroup HLA-DRB1_P.

Another object of the invention is a kit to carry out the procedure. It consists of pooled combinations of primers. The primers that are used in the pools for HLA-A, HLA-B, and HLA-DRB1 and the masses of the genotyping products are listed in Tables IV, V, and VI respectively. CT refers to the mass shifting mass tag that is attached to that primer of the pool.

Another object of the invention is the use of the method of the invention for screening of tissue donors.

In a preferred embodiment, the use is for bone marrow donors in registries for screening of frequent and rare HLA types.

Still another object of the invention is the use of the primers represented in Table IV, V and VI to carry out HLA typing.

BNSDOCID: <WO_____2005052189A2_I_>

TABLE III

Subgroups of HLA-DRB1	Alleles of Subgroups	**Positions to resolve Subgroups**
HLA-DRB1_A	DRB1*070101, DRB1*070102, DRB1*0703, DRB1*0704, DRB1*0705, DRB1*0707	123, 174, 250, 317
HLA-DRB1_B	DRB1*040101, DRB1*040102, DRB1*0409, DRB1*0426, DRB1*0433	192, 203, 256, 259
HLA-DRB1_C	DRB1*0404, DRB1*0410, DRB1*0423, DRB1*0440, DRB1*0444	256, 260, 317, 351.
HLA-DRB1_D	DRB1*040501, DRB1*040502, DRB1*040503, DRB1*040504, DRB1*0408, DRB1*0429, DRB1*0430, DRB1*0445, DRB1*0448	155, 204, 233, 239, 256, 304, 357, 366
HLA-DRB1_E	DRB1*1402, DRB1*1409, DRB1*1413, DRB1*1446, DRB1*1447, DRB1*1448	122, 171, 257, 317
HLA-DRB1_F	DRB1*130101, DRB1*130102, DRB1*130103, DRB1*1315, DRB1* 1327,	164, 167, 171, 230, 235, 306, 317, 321, 337
HLA-DRB1_G	DRB1*130201, DRB1*130202, DRB1*1331, DRB1*1339, DRB1*1341	164, 257, 266, 303
HLA-DRB1_H	DRB1*030101, DRB1*030102, DRB1*0307, DRB1*0312, DRB1*0313, DRB1*0315, DRB1*0316, DRB1*0318, DRB1*0322, DRB1*0323	164, 181, 188, 220, 229, 256, 266, 317, 318
HLA-DRB1_I	DRB1*1137, DRB1*1425	257
HLA-DRB1_J	DRB1*110401, DRB1*110402, DRB1*1143, DRB1*1146	181, 239, 357
HLA-DRB1 _K	DRB1*110101, DRB1*110102, DRB1*110103, DRB1*110104, DRB1*110105, DRB1*112701, DRB1*112702, DRB1*1130, DRB1*1139	122, 144, 239, 303, 317, 318, 321
HLA-DRB1_L	DRB1*1117, DRB1*140101, DRB1*140102, DRB1*1408, DRB1*1426, DRB1*1438, DRB1*1439	118, 161, 257, 260, 318, 321
HLA-DRB1_M	DRB1*120101, DRB1*120102, DRB1*1206, DRB1*1207, DRB1*1208, DRB1*1209	165, 257, 293, 303
HLA-DRB1_N	DRB1*080101, DRB1*080102, DRB1*080201, DRB1*080202, DRB1*080203, DRB1*0807, DRB1*0811	177, 240, 256, 257, 357
HLA-DRB1_O	DRB1*150101, DRB1*150103, DRB1*150105, DRB1*1503, DRB1*1506, DRB1*1509, DRB1*1513	150 175, 230, 236, 321
HLA-DRB1_P	DRB1*010101, DRB1*0105, DRB1*0107, DRB1*0111	115, 220, 317

BNSDOCID: <WO_____2005052189A2_I_>

TABLE IV

No.	Name	Sequence	CT	Primer Masses	A	C	G	T
1	HLAA_811_1f20	TGCTCGCCCCCAGGCTCCspC^spA	0	1098,1	1425,1	1401,3	-	-
2	HLAA_812_1f20	TGCTCGCCCCCAGGCTCTspC^spA	0	1113,1	-	1416,3	1452,4	-
3	HLAA_921_1f20	AGGCTCCCACTCCATGAGspC^spT	0	1129,1	1456,4	-	-	-
4	HLAA_922_1f20	AGGCTCCCAMTCCATGAGspG^spT	0	1169,1	1496,4	-	1512,4	-
5	HLAA_923_1f20	AGGCTCTCASTCCATGAGspG^spT	0	1169,1	1496,4	-	1512,4	-
6	HLAA_981_1f20	CCACTCCATGAGGTATTTspC^spA	0	1113,1	-	1416,3	-	-
7	HLAA_982_1f20	CCACTCCATGAGGTATTTspC^spT	0	1104,1	1431,4	1407,3	-	1422,3
8	HLAA_1231_2r20	GCGATGAAGCGGGGCTCspCspT^spC	0	1510,5	-	-	1853,8	-
9	HLAA_1232_2r20	GCGATGAAGCGGGGCTCspTspC^spC	-28	1380,4	1707,7	-	-	-
10	HLAA_1233_2r20	GCGATGAAGCGGGGCTTspCspC^spC	0	1408,4	-	-	1751,6	-
11	HLAA_1234_2r20	GMGATGAAGCGGGGCTCspCspC^spC	0	1393,4	1720,7	-	1736,7	-
12	HLAA_2381_2r20	CTSGTCCCAATACTCCGspGspA^spC	0	1497,4	-	1800,6	-	-
13	HLAA_2382_2r20	CYCGTCCCAATACTCCGspGspA^spC	0	1497,4	-	1800,6	-	-
14	HLAA_2383_2r20	CTCGTCCCAATACTCCGspGspC^spT	0	1488,4	-	1791,6	-	1806,4
15	HLAA_2384_2r20	CTSGTCCCAATACTCAGspGspC^spC	0	1473,4	-	1776,6	-	-
16	HLAA_2385_2r20	CYGGTCCCAATACTCCGspGspC^spC	0	1473,4	-	1776,6	-	-
17	HLAA_2386_2r20	CMGGTCCCAATACTCCGspGspC^spC	0	1473,4	-	1776,6	-	-
18	HLAA_2387_2r20	CYCGTCCCAATACTCCGspGspC^spC	0	1473,4	-	1776,6	-	-
19	HLAA_2561_1r19	CTTCATATTCCGTGTCTCspC^spT	0	1089,1	-	1392,3	1432,4	-
20	HLAA_2562_1r19	CTTCACWTTCCGTGTCTCspC^spT	0	1089,1	-	1392,3	1432,4	-
21	HLAA_2563_1r19	CTTCACATKCCGTGTCTGspC^spA	0	1138,1	-	-	1481,4	-
22	HLAA_2564_1r19	CTTCACTTTCCGTGTGTTspC^spC	0	1089,1	-	-	1432,1	-
23	HLAA_2565_1r19	CYTCACATTCCGTGTGTTspC^spC	0	1089,1	-	-	1432,1	-
24	HLAA_2566_1r19	CTTCACRTTCCGTGTCTCspC^spC	0	1074,1	-	1377,3	1417,4	-
25	HLAA_2567_1r19	CTTCASTTGCCGTGTCTCspC^spC	0	1074,1	-	1377,3	1417,4	-
26	HLAA_2568_1r19	CTTCAGTTKCCGTGTCTCspC^spC	0	1074,1	-	1377,3	1417,4	-
28	HLAA_2681_1f20	ATTGGGACCGGAACACACspG^spG	0	1154,1	1481,4	1457,3	-	-
29	HLAA_2682_1f20	ATTGGGACCTGCAGACACspG^spG	0	1154,1	1481,4	1457,3	-	-
30	HLAA_2683_1f20	ATTGGGACSAGGAGACACspG^spG	0	1154,1	1481,4	1457,3	-	-
31	HLAA_2684_1f20	ATTGGGACSGGGAGACACspG^spG	0	1154,1	1481,4	1457,3	-	-
32	HLAA_2685_1f20	ATTGGGACSAGGAGACAGspG^spG	0	1194,1	1521,4	-	-	-
33	HLAA_2701_1r19	CTGTGAGTGGGCCTTCspA^spT	0	1113,1	1440,4	-	-	-
34	HLAA_2702_1r19	CTGTGACTGGGCCYTCspA^spC	-14	1084,1	1411,4	-	1427,4	1402,4
35	HLAA_2703_1r19	CTGTGAGTGGSCCTTCspA^spC	-14	1084,1	1411,4	-	1427,4	1402,4
36	HLAA_2821_1f20	ACACGGAATGTGARGGGCspC^spA	0	1098,1	-	1401,3	1441,3	-
37	HLAA_2822_1f20	ACASGGAAAGTGAAGGCCspC^spA	0	1098,1	-	1401,3	1441,3	-
38	HLAA_2823_1f20	ACACGGCAWGTGAAGGCCspC^spA	0	1098,1	-	1401,3	1441,3	-
39	HLAA_2824_1f20	ACACGGAACGTGAAGGCCspC^spA	0	1098,1	-	1401,3	1441,3	-
40	HLAA_2825_1f20	ACACGGAATRTGAAGGCCspC^spA	0	1098,1	-	1401,3	1441,3	-
41	HLAA_2921_2f20	TGAAGGCCCACTCACAGspAspG^spT	-14	1498,4	-	1801,6	-	-
42	HLAA_2922_2f20	TGAAGGCCCACTCACAGspGspC^spT	0	1488,4	-	-	1831,7	-
43	HLAA_2923_2f20	TGAAGGSCCACTCACAGspAspT^spT	0	1589,6	-	-	1932,9	-
44	HLAA_2924_2f20	TGARGGCCCAGTCACAGspAspC^spT	0	1427,4	-	1775,6	1815,7	-
45	HLAA_2925_2f20	TGAAGGCCCASTCACAGspAspC^spT	0	1427,4	-	1775,6	1815,7	-
46	HLAA_3681_1f20	TCACACCATCCAGATAATspG^spC	0	1129,1	1456,4	-	-	-
47	HLAA_3682_1f20	TCACACCATCCAGMTAATspG^spT	0	1144,1	1471,6	1447,1	1487,4	1462,3
48	HLAA_3683_1f20	TCACACCSTCCAGAGGATspG^spT	0	1144,1	1471,6	1447,1	1487,4	1462,3
49	HLAA_3684_1f20	TCACACCVTCCAGATGATspG^spT	0	1144,1	1471,6	1447,1	1487,4	1462,3
50	HLAA_3961_2r20	GCTGGTACCCGCGGAGspGspA^spG	0	1537,4	-	-	1880,7	-

BNSDOCID: <WO_____2005052189A2_I_>

51	HLAA_3962_2r20	GCCGGTACCCGCGGAGspTspA^spA	0	1496,4	-	-	1839,7	-
52	HLAA_3963_2r20	GGTGGTACCCGYGCAGspGspA^spA	0	1496,4	-	-	1839,7	-
53	HLAA_3964_2r20	GGTGGTACCCGCAGAGspGspA^spA	0	1521,5	-	-	1864,8	1839,7
54	HLAA_3965_2r20	GTTCATACCCGCGGAGspGspA^spA	0	1521,5	-	-	1864,8	1839,7
55	HLAA_3966_2r20	GSTGGTACCCGCGGAGspGspA^spA	0	1521,5	-	-	1864,8	1839,7
56	HLAA_3967_2r20	GCCGGTACCCGCGGAGspGspA^spA	0	1521,5	-	-	1864,8	1839,7
57	HLAA_4141_1f20	CGCTTCCTCCGCGGGTATspG^spA	0	1153,1	1480,1	-	-	-
58	HLAA_4142_1f20	CGCTTCCTCTGCGGGTACspC^spA	0	1098,1	-	1401,3	1441,4	-
59	HLAA_4143_1f20	CGCTTCCTGCGCGGGTACspC^spA	0	1098,1	-	1401,3	1441,4	-
60	HLAA_4144_1f20	CGCTTCCTCCACGGGTACspC^spA	0	1098,1	-	1401,3	1441,4	-
61	HLAA_4145_1f20	CGMTTCCTCCGCGGGTACspC^spA	0	1098,1	-	1401,3	1441,4	-
62	HLAA_4146_1f20	CGCCTCCTCCGCGGGTACspC^spA	0	1098,1	-	1401,3	1441,4	-
63	HLAA_4147_1f20	CACTTCCTCCGCGGGTACspC^spG	0	1114,1	-	-	1457,4	-
64	HLAA_4148_1f20	CGCTTMCTCCGCGGGTACspC^spG	0	1114,1	-	-	1457,4	-
65	HLAA_4531_1r20	GTCCAAGAGCGCAGGTCTspT^spC	0	1206,2	-	-	-	1524,4
66	HLAA_4532_1r20	GTCCAAGAGCGCAGGTCCspT^spC	0	1191,2	-	-	1534,5	1509,4
67	HLAA_4533_1r20	GTCCAGGAGCTCAGGTCCspT^spC	0	1191,2	-	-	1534,5	1509,4
68	HLAA_5021_2r20	GGCCGYCTCCCACTTGTspGspC^spT	0	1463,4	-	-	-	1781,6
69	HLAA_5022_2r20	GGCYGCCTCCCACTTGCspGspC^spT	0	1448,4	-	1751,6	1791,7	1766,6
70	HLAA_5023_2r20	CGGAGTCTCCCACTTGCspGspC^spT	0	1448,4	-	1751,6	1791,7	1766,6
71	HLAA_5024_2r20	GGCCGCCTCCCACTTGCspGspC^spC	-14	1419,4	-	-	-	1737,6
72	HLAA_5271_1f20	AGTGGGAGACTCCGCCCAspT^spG	0	1255,3	1582,6	1558,5	-	1573,5
73	HLAA_5272_1f20	CAAGTGGGAGGCGGYCCAspT^spG	0	1255,3	1582,6	1558,5	-	1573,5
74	HLAA_5273_1f20	CAAGTGGGAGRCGGCCCAspT^spG	0	1255,3	1582,6	1558,5	-	1573,5
75	HLAA_5274_1f20	CAAGTGGGAGGCGGCCCTspT^spG	0	1246,3	-	-	-	1564,5
76	HLAA_5275_1f20	CAAGTGGGAGGCGGCCCGspT^spT	0	1246,3	-	-	1589,6	-
77	HLAA_5276_1f20	CAAGTGGGAGGCGGCCCGspT^spC	0	1231,3	-	-	1574,5	-
78	HLAA_5277_1f20	CAAGTGGGAGGCGGCCMGspT^spG	0	1271,3	1598,6	-	-	1589,5
79	HLAA_5278_1f20	CAAGTGGGAGGCRGCCCGspT^spG	0	1271,3	1598,6	-	-	1589,5
80	HLAA_5391_1f19	GCCCRTGAGGCGGAGCAspG^spC	0	1138,1	1465,4	-	1481,4	1456,3
81	HLAA_5392_1f19	GYCCATGCGGCGGAGCAspG^spC	0	1138,1	1465,4	-	1481,4	1456,3
82	HLAA_5393_1f19	GCCCGTCGGGCGGAGCAspG^spC	0	1138,1	1465,4	-	1481,4	1456,3
83	HLAA_5394_1f19	GCCCATGTGGCGGAGCAspG^spC	0	1138,1	1465,4	-	1481,4	1456,3
84	HLAA_5395_1f19	GTCCATGCGGCGGAGCAspG^spT	0	1153,1	-	-	1496,4	1471,3
85	HLAA_5396_1f19	GCCCGTYGGGCGGAGCAspG^spT	0	1153,1	-	-	1496,4	1471,3
86	HLAA_5397_1f19	GCCCATGAGGCGGAGCAspG^spT	0	1153,1	-	-	1496,4	1471,3
87	HLAA_5398_1f19	GCCCWTGTGGCGGAGCAspG^spT	0	1153,1	-	-	1496,4	1471,3
88	HLAA_5399_1f19	GCCMGTGTGGCGGAGCAspG^spT	0	1153,1	-	-	1496,4	1471,3
89	HLAA_5591_1r20	GCGGAGCCACTCCACGCAspC^spT	0	1113,1	-	1416,3	-	-
90	HLAA_5592_1r20	GCGGAGCCCGTCCACGCAspC^spT	0	1113,1	-	1416,3	-	-
91	HLAA_5593_1r20	GCGGAGCCACTCCACGCAspC^spA	0	1122,1	-	-	1465,4	-
92	HLAA_5594_1r20	GCGGAGCCCGTCCACTCAspC^spG	0	1138,1	-	-	-	1456,3
93	HLAA_5595_1r20	GCGGAGCCAGTCCACGCAspC^spG	0	1138,1	-	-	-	1456,3
94	HLAA_5596_1r20	GCGGAGCCMGTCCACGCAspC^spG	0	1138,1	-	-	-	1456,3
95	HLAA_5597_1r20	GCGGAGCCACTCCACGCAspC^spC	0	1098,1	1425,4	-	1441,4	-
96	HLAA_5598_1r20	GCGGAGCCCGTCCACGCAspC^spC	0	1098,1	1425,4	-	1441,4	-
	HLAA_5599_1r20	GCGGAGCCACTCCACGCAspG^spG	0	1178,1	-	-	-	1496,3
97	HLAA_5711_2f20	TGGAGGGCCKGTGCGTGspGspA^spG	0	1537,4	-	-	-	1855,6
98	HLAA_5712_2f20	TGGAGGGYGAGTGCGTGspGspA^spG	0	1537,4	-	-	-	1855,6
99	HLAA_5713_2f20	TGSAGGGCCGGTGCGTGspGspA^spG	0	1537,4	-	-	-	1855,6
100	HLAA_5714_2f20	TGGATGSCACGTGCGTGspGspA^spG	0	1537,4	-	-	-	1855,6
101	HLAA_5715_2f20	TGGAGGGCACSTGCGTGspGspA^spG	0	1537,4	-	-	-	1855,6
102	HLAA_5716_2f20	TGGAGGGCACGTGMGTGspGspA^spC	0	1497,4	-	-	1840,7	1815,6
103	HLAA_5717_2f20	TGGAGGGCYGGTGCGTGspGspA^spC	0	1497,4	-	-	1840,7	1815,6

TABLE V

No	Name	Sequence	CT	Primer Masses	A	C	G	T
1	HLAB_971_2f20	CCCACTCCATGAGGCATspTspT^spC	0	1540,3	-	1843,7	1883,8	1858,7
2	HLAB_972_2f20	CCCACTYCATGAGGTATspTspT^spC	0	1540,3	-	1843,7	1883,8	1858,7
3	HLAB_2061_1f20	CGACGCCGCGAGTCMGAGspG^spA	-28	1150,1	1477,4	1453,3	-	1468,3
4	HLAB_2062_1f20	CGACGCCACGAGTCCGAGspG^spA	-28	1150,1	1477,4	1453,3	-	1468,3
5	HLAB_2063_1f20	CGACGCCGCGAGTCCRAGspA^spG	0	1178,1	1505,4	-	1521,4	-
6	HLAB_2064_1f20	CGACGCCRCGAGTCCGAGspA^spG	0	1178,1	1505,4	-	1521,4	-
7	HLAB_2221_1r19	GCCCCTCCTGCTCCACCspC^spA	0	1098,3	1425,4	-	1441,4	-
8	HLAB_2222_1r19	GCCCCTCYTGCTCTATCspC^spA	0	1098,3	1425,4	-	1441,4	-
9	HLAB_2591_2f20	GGCCGGAGTATTGGGACspGspG^spG	0	1513,4	-	-	1856,7	-
10	HLAB_2592_2f20	GGCCGGAGTATTGGGACspGspA^spG	0	1497,4	-	-	1840,7	-
11	HLAB_2593_2f20	GGCCGGAGTATTGGGACspCspC^spG	-28	1405,4	-	-	1748,7	-
12	HLAB_2594_2f20	GGCCGGAGTATTGGGATspCspG^spG	0	1488,4	1815,7	-	1831,7	-
13	HLAB_2595_2f20	GGCCGGAGTTTTGGGACspCspG^spG	-28	1445,4	1772,7	-	1788,7	-
14	HLAB_2596_2f20	GGCCGGAGCATTGGGACspCspG^spG	-28	1445,4	1772,7	-	1788,7	-
15	HLAB_2597_2f20	GGCCGGGATATTGGGACspCspG^spG	-28	1445,4	1772,7	-	1788,7	-
16	HLAB_2598_2f20	GGCCRGAATATTGGGACspCspG^spG	-28	1445,4	1772,7	-	1788,7	-
17	HLAB_2599_2f20	GGCGGGMGTATTGGGACspCspG^spG	-28	1445,4	1772,7	-	1788,7	-
18	HLAB_25910_2f20	GGCCTTAGTATTGGGACspCspG^spG	-28	1445,4	1772,7	-	1788,7	-
19	HLAB_2721_1f20	GGACSGGGAGACACGGAAspC^spA	0	1122,1	-	-	-	1440,3
20	HLAB_2722_1f20	GGACGRGGAGACACGGAAspC^spA	0	1122,1	-	-	-	1440,3
21	HLAB_2723_1f20	GGACCGGAACACACAGAAspC^spT	0	1113,1	-	-	1456,4	-
22	HLAB_2724_1f20	GGACCGGAACACACAGACspC^spT	-14	1075,1	-	-	-	1393,3
23	HLAB_2725_1f20	GGACCGGGAGACACAGAAspG^spT	0	1153,1	1480,4	-	-	-
24	HLAB_2726_1f20	GGACCGGGAGATACAGATspC^spT	0	1104,1	1431,4	1407,3	1447,4	1422,3
25	HLAB_2727_1f20	GGACCGGGASACACAGATspC^spT	0	1104,1	1431,4	1407,3	1447,4	1422,3
26	HLAB_2728_1f20	GGACCGGGACACACAGATspC^spT	0	1104,1	1431,4	1407,3	1447,4	1422,3
27	HLAB_2729_1f20	GGACCSGGAGACACAGATspC^spT	0	1104,1	1431,4	1407,3	1447,4	1422,3
28	HLAB_2921_2f19	CAAGACCAACACACAGspGspC^spT	0	1458,3	-	-	1801,6	-
29	HLAB_2922_2f19	CAAGSCCCAGGCACAGspGspC^spT	0	1458,3	-	-	1801,6	-
30	HLAB_2923_2f19	CAAGACCAACACACGGspAspC^spT	-28	1414,3	-	-	1757,6	1732,5
31	HLAB_2924_2f19	GAAGGCCTCCGCGCAGspAspC^spT	-28	1414,3	-	-	1757,6	1732,5
32	HLAB_2925_2f19	CAAGGCCMAGGCACAGspAspC^spT	-28	1414,3	-	-	1757,6	1732,5
33	HLAB_2926_2f19	CAAGSGCCAGGCACAGspAspC^spT	-28	1414,3	-	-	1757,6	1732,5
34	HLAB_2927_2f19	GAAGACCAACACACAGspAspC^spT	-28	1414,3	-	-	1757,6	1732,5
35	HLAB_3021_2f19	GCACAGACTGACCGAGspTspG^spG	0	1528,4	-	-	1871,7	-
36	HLAB_30211_2f19	ACACAGACTTACAGAGspAspG^spA	-28	1493,5	1820,8	-	1836,8	-
37	HLAB_3022_2f19	ACACAGACTTACCGAGspAspG^spG	0	1537,4	1864,7	-	-	-
38	HLAB_3023_2f19	RCACAGACTGACCGAGspAspG^spG	0	1537,4	1864,7	-	-	-
39	HLAB_3024_2f19	GCACAGACTGGCCGAGspTspG^spA	-28	1481,4	1811,7	-	1827,7	-
40	HLAB_3025_2f19	ACACAGACTTACCGAGspTspG^spA	-28	1481,4	1811,7	-	1827,7	-
41	HLAB_3026_2f19	RCACAGACTGACCGAGspTspG^spA	-28	1481,4	1811,7	-	1827,7	-
42	HLAB_3027_2f19	ACACAGGCTGACCGAGspAspG^spA	-28	1493,5	1820,8	-	1836,8	-
43	HLAB_3028_2f19	RCACAGACTGACCGAGspAspG^spA	-28	1493,5	1820,8	-	1836,8	-
44	HLAB_3029_2f19	GCRCAGACTTACCGAGspAspG^spA	-28	1493,5	1820,8	-	1836,8	-
45	HLAB_30210_2f19	ACACRGACTTACCGAGspAspG^spA	-28	1493,5	1820,8	-	1836,8	-
46	HLAB_3621_2f20	CGGGTCTCACACCCTCCspAspC^spA	-28	1413,4	-	-	1756,7	-
47	HLAB_3622_2f20	CGGGTCTCACAYCATCCspAspG^spA	-14	1467,4	1794,7	1770,6	1810,7	1785,6
48	HLAB_3623_2f20	CGGKTCTCACACCCTCCspAspG^spA	-14	1467,4	1794,7	1770,6	1810,7	1785,6
49	HLAB_3624_2f20	CGGGTCTCACACTTGGCspAspG^spA	-14	1467,4	1794,7	1770,6	1810,7	1785,6
50	HLAB_3625_2f20	CGGGTCTCACATCATCCspAspG^spG	-14	1483,4	-	-	-	1801,6
51	HLAB_3626_2f20	CGGGTCTCACACCCTCCspAspG^spT	0	1472,4	-	-	1815,7	-
52	HLAB_3631_1r20	CCCASGTCGCAGCCGTACspA^spT	-28	1085,1	-	1388,3	1428,4	1403,3
53	HLAB_3632_1r20	CCCABGTCGCAGCCATACspA^spT	-28	1085,1	-	1388,3	1428,4	1403,3
54	HLAB_3633_1r20	CCCASGTCGCAGCCAAACspA^spT	-28	1085,1	-	1388,3	1428,4	1403,3

BNSDOCID: <WO_____2005052189A2_I_>

55	HLAB_3634_1r20	CCCACGTCGCAGCCAGACspA^spT	-28	1085,1	-	1388,3	1428,4	1403,3
56	HLAB_3635_1r20	CCCACGTCGCAGCCGCACspA^spT	-28	1085,1	-	1388,3	1428,4	1403,3
57	HLAB_3636_1r20	CCCACGTCGCAGCCTTACspA^spT	-28	1085,1	-	1388,3	1428,4	1403,3
58	HLAB_3637_1r20	CCCACGTCGCAGCCGTACspG^spT	0	1129,1	-	1432,3	1472,4	1447,3
59	HLAB_3691_1f20	TCCGGCCCCAKGTCGCAGspC^spC	0	1114,1	1441,4	-	1457,4	1432,3
60	HLAB_3692_1f20	TCGGGCCCCASGTCGCAGspC^spC	0	1114,1	1441,4	-	1457,4	1432,3
55	HLAB_4121_2f20	GGCGCCTCCTCCGCGGGspTspA^spC	-28	1444,4	-	1747,6	-	-
56	HLAB_4122_2f20	GGCGCCTCCTCCSCGGGspCspA^spT	0	1472,4	1799,7	-	1815,7	-
57	HLAB_4123_2f20	GGCGCYTCCTCCGCGGGspCspA^spT	0	1472,4	1799,7	-	1815,7	-
58	HLAB_4124_2f20	GGCGTCTCCTCCGCGGTspTspA^spT	0	1462,4	-	1765,6	-	-
59	HLAB_4125_2f20	GGCGCCTCCTCCGCGGGspTspA^spT	-14	1473,4	-	1776,6	-	-
60	HLAB_4181_2f20	TCCTCCGCGGGTATGAAspCspA^spG	0	1481,4	1808,7	-	-	-
61	HLAB_4182_2f20	TCCTCCACGGGTACCACspCspA^spG	0	1457,4	-	-	-	1775,6
62	HLAB_4183_2f20	TCCTGCGCGGGTACCACspCspA^spG	0	1457,4	-	-	-	1775,6
63	HLAB_4184_2f20	TCCTCCGCGGGTACCACspCspA^spG	0	1457,4	-	-	-	1775,6
64	HLAB_4185_2f20	TCCTCTGCGGGTACCACspCspA^spG	0	1457,4	-	-	-	1775,6
65	HLAB_4186_2f20	TCCTCCGCGGGTACCAGspCspA^spG	0	1497,4	1824,7	1800,6	1840,7	1815,6
66	HLAB_4187_2f20	TMCTCCGCGGGTACCGGspCspA^spG	0	1497,4	1824,7	1800,6	1840,7	1815,6
67	HLAB_4188_2f20	TCCTCCGCGGGTACCAGspCspG^spG	0	1513,4	-	-	1856,7	-
68	HLAB_4191_2r20	AATCCTTGCCGTCGTAGspGspC^spT	-14	1474,4	1801,7	-	-	-
69	HLAB_4192_2r20	AATCCTTGCCGTCGTAGspGspC^spA	-28	1469,4	-	-	1812,7	-
70	HLAB_4193_2r20	AATTCTTGCCGTCGTAGspGspC^spG	0	1513,4	1840,7	-	1856,7	1831,6
71	HLAB_4194_2r20	AATCTTTGCCGTCGTAGspGspC^spG	0	1513,4	1840,7	-	1856,7	1831,6
72	HLAB_4195_2r20	AATCCTTGCCGTCGYAGspGspC^spG	0	1513,4	1840,7	-	1856,7	1831,6
73	HLAB_4351n_1r20	TCMTTCAGGGCGATGTAAspT^spC	-14	1201,3	-	1504,4	-	1519,4
74	HLAB_4352n_1r20	TCGTTCAGGGCGATGTAAspT^spT	0	1230,3	-	1533,5	-	-
75	HLAB_5271_1f20	CAAGTGGGAGGCGGCCCTspT^spG	0	1246,3	-	-	-	1564,5
76	HLAB_5272_1f20	CAAGTKGGAGGCGGCCCGspT^spG	0	1271,3	1598,6	1574,3	-	1589,5
77	HLAB_5391_1f20	GGCCCGTGYGGCGGAGCAspG^spC	0	1138,1	-	-	1481,3	1456,3
78	HLAB_5392_1f20	GGCCCGTGTCGCGGAGCAspG^spG	0	1178,1	1505,4	-	-	-
79	HLAB_5393_1f20	GGCCCGTGWGGCGGAGCAspG^spG	0	1178,1	1505,4	-	-	-
80	HLAB_5394_1f20	GGCCCGTGAGGCGGAGCAspG^spT	0	1153,1	-	-	1496,4	-
81	HLAB_5591_1r20	GCGGAGCGACTCCACGCAspC^spT	0	1113,1	-	-	1456,4	-
82	HLAB_5592_1r20	GCGGAGCCACTCCACGCAspC^spT	0	1113,1	-	-	1456,4	-
83	HLAB_5593_1r20	GCGGAGCCAATCCACGCAspC^spT	0	1113,1	-	-	1456,4	-
84	HLAB_5594_1r20	GCGGAGCCACTCCACGCAspC^spG	0	1152,1	-	-	-	1470,3
85	HLAB_5595_1r20	GCGGAGCGACTCCRCGCAspC^spA	-14	1122,1	1449,1	1425,3	-	-
86	HLAB_5596_1r20	GCGGAGCSACTCCACGCAspC^spA	-14	1122,1	1449,1	1425,3	-	-
87	HLAB_5597_1r20	GCGGAGCCCGTCCACGCAspC^spA	-14	1122,1	1449,1	1425,3	-	-
88	HLAB_5711_1r20	CTCCAGGTAYCTGCGGAGspC^spG	0	1154,1	1481,4	-	-	-
89	HLAB_5712_1r20	CTCCAGGTRTCTGCGGAGspC^spC	0	1114,1	1441,4	1417,3	-	-
90	HLAB_583_1r19	ACCTGGAGAACGGGAAGspG^spA	0	1178,1	1505,4	-	1521,4	-

BNSDOCID: <WO_____2005052189A2_I_>

TABLE VI

No	Name	Sequence	CT	Masses Primer	A	C	G	T
1	DRB1_1251_1r20	CATTGAAGAAATGACACTspC^spC	0	1098,1	-	1392,3	-	-
2	DRB1_1252_1r20	CGTTGAAGAAATGACACTspT^spA	0	1230,1	-	-	-	1548,5
3	DRB1_1253_1r20	CATTGAAGAAATGACATTspC^spA	0	1113,1	1440,4	1416,3	1456,4	1431,3
4	DRB1_1254_1r20	CATTGAAGAAWTAACACTspC^spA	0	1113,2	1440,4	1416,3	1456,4	1431,3
5	DRB1_1255_1r20	CRTTGAAGAAATGACACTspC^spA	0	1113,3	1440,4	1416,3	1456,4	1431,3
6	DRB1_1961_1f19	CATCTATAACCAAGAGGspA^spA	0	1162,1	-	-	-	1480,3
7	DRB1_1962_1f19	CTTCTATCACCAAGARGspA^spG	0	1178,1	1505,4	-	-	1496,3
8	DRB1_1963_1f19	CTTCTATAATCARGAGGspA^spG	0	1178,1	1505,4	-	-	1496,3
9	DRB1_1964_1f19	CGTCCATAACCAAGAGGspA^spG	0	1178,1	1505,4	-	-	1496,3
10	DRB1_1965_1f19	CATCTATAACCAAGAGGspA^spG	0	1178,1	1505,4	-	-	1496,3
11	DRB1_1966_1f19	CTTCCATAACCRGGAGGspA^spG	0	1178,1	1505,4	-	-	1496,3
12	DRB1_1967_1f19	CTTCGATAACCAGGAGGspA^spG	0	1178,1	1505,4	-	-	1496,3
13	DRB1_1968_1f19	CTTCTATAACCTGGAGGspA^spG	0	1178,1	1505,4	-	-	1496,3
14	DRB1_1971_1r20	CGTCGCTGTCGAAGCGCAspG^spG	0	1178,1	1505,4	-	-	1496,3
15	DRB1_1972_1r20	CGTCGCTGTCGTAGCGCGspC^spG	0	1154,1	-	-	-	1472,3
16	DRB1_1973_1r20	CGTCGCTGTCGAAGCGCAspA^spG	0	1162,1	-	-	-	1480,3
17	DRB1_1974_1r20	CGTCGCTGTCGAAGYGCAspC^spG	-28	1110,1	1437,4	-	1453,4	1428,3
18	DRB1_1975_1r20	CGTCGCTGTCGAASCGCAspC^spG	-28	1110,1	1437,4	-	1453,4	1428,3
19	DRB1_2271_1f20	CGACAGCGACGTGGGGGAspC^spT	0	1113,1	1440,4	-	-	-
20	DRB1_2272_1f20	CGACAGCGACGTGVGGGAspG^spT	0	1153,1	1480,4	-	-	1471,3
21	DRB1_2611_1r20	TTCTGGCTGTTCCAGTACspT^spG	0	1231,2	-	-	1574,5	-
22	DRB1_2612_1r20	TTCTGGCTGTTCCAGTACspC^spC	0	1074,1	-	1377,3	-	-
23	DRB1_2613_1r20	TTCTGGCTGTTCCAGTAGspT^spC	0	1231,2	-	1534,4	-	-
24	DRB1_2614_1r20	TTCTGGCTGTTCCAGTRCspT^spC	-14	1177,2	1504,5	1480,4	1520,5	-
25	DRB1_2615_1r20	TTCYGGCTGTTCCAGGACspT^spC	-14	1177,2	1504,5	1480,4	1520,5	-
26	DRB1_2861_1f19	CTGGAACAGCCAGAAGAspA^spC	-28	1122,1	1449,4	-	-	-
27	DRB1_2862_1f19	CTGGAACAGCCRGAAGGspA^spC	0	1138,1	1465,4	1441,3	-	1456,3
28	DRB1_2991_1f20	GAAGGACHTCCTGGAGCAspG^spG	0	1178,1	-	1481,3	-	-
29	DRB1_2992_1f20	GAAGGACATCCTGGGAGAspC^spA	-14	1108,1	1435,1	-	1451,4	-
30	DRB1_2993_1f20	GAAGGACATCCTGGARGAspC^spA	-14	1108,1	1435,1	-	1452,4	-
31	DRB1_2994_1f20	GAAGGACYTCCTGGAAGAspC^spA	-14	1108,1	1435,1	-	1453,4	-
32	DRB1_2995_1f20	GAAGGACATCCTGGAGCAspG^spA	0	1162,1	1489,4	-	1505,4	-
33	DRB1_2996_1f20	GAAGGACHTCCTGGAGCGspG^spA	0	1178,1	-	-	1521,4	-
34	DRB1_2997_1f20	GAAGGACHTCCTGGAAGAspC^spG	0	1138,1	1465,4	-	-	-
35	DBR1_3081_1r20	GTCTGCAATAGGTGTCCAspC^spG	0	1138,1	-	1441,3	-	-
36	DRB1_3082_1r20	GTCTGCARTAGGCGTCCAspC^spC	-14	1084,1	1411,4	1387,3	1427,4	1402,3
37	DRB1_3083_1r20	GTCTGCAGTAATTGTCCAspC^spC	-14	1084,1	1411,4	1387,3	1427,4	1402,3
38	DRB1_3084_1r20	GTCTGCACACGGTGTCCAspC^spC	-14	1084,1	1411,4	1387,3	1427,4	1402,3
39	DRB1_3085_1r20	GTCTGCAGTAGGTGTCCAspC^spC	-14	1084,1	1411,4	1387,3	1427,4	1402,3
40	DRB1_3086_1r20	GTCTGCAATAGGTGTCCAspC^spC	-14	1084,1	1411,4	1387,3	1427,4	1402,3
41	DRB1_341_1f19	TGCAGACACAACTACSGspG^spG	0	1194,1	-	1497,3	-	1512,3
42	DRB1_3451_1r20	CGCTGCACTGTGAATCTCspT^spC	0	1191,3	1518,5	1494,4	-	-
43	DRB1_3452_1r20	CTCTGCACTGTGAAGCTCspT^spC	0	1191,3	1518,5	1494,4	-	-
44	DRB1_3453_1r20	CGCTGCACYGTGAAGCTCspT^spC	0	1191,3	1518,5	1494,4	-	-

BNSDOCID: <WO_____2005052189A2_I_>

The resolution achievable by 19 markers each for HLA-A and HLA-B and the ten markers for HLA-DRB1 are listed in Tables VII to IX below.

TABLE VII

Frequent Alleles of HLA-A	Group of frequent Alleles with same four-digit type	Rare Alleles with same Mini-Haplotype Profile	Resolution (in %)
A*0101	A*010101, A*010102	A*0103, A*0104N, A*0109	98,3
A*0201	A*02010101, A*02010102L, A*020103, A*020104, A*020108, A*020109	A*0204, A*0209, A*0225, A*0231, A*0232N, A*0242, A*0243N, A*0253N, A*0258, A*0260, A*0264, A*0266, A*0267	93,4
	A*020102		100
	A*020105		100
	A*020106		100
	A*020107		100
A*0301	A*03010101, A*03010102N	A*0303N, A*0304, A*0305, A*0306, A*0311N	97,6
	A*030102		100
	A*030103		100
A*2301	A*2301	A*2306, A*2307N, A*2308N	98,6
A*2402	A*24020101, A*24020102L, A*240202, A*240203, A*240204	A*2404, A*2409N, A*2411N, A*2426, A*2427, A*2432, A*2435, A*2436N, A*2437, A*2439	94,5
A*2902	A*290201	A*29010101, A*29010102N, A*2906, A*2908N	98,3
	A*290202		100
A*3001	A*3001		100
A*3002	A*3002		100

Capture: Alleles in a same field have the same mini-haplotype profile; grey high lighted are all alleles with identical sequences over exons 2 and 3.

BNSDOCID: <WO_____2005052189A2_I_>

TABLE VIII

Frequent Alleles of HLA-B	Groups of frequent Alleles with same four-digit type	Rare Alleles with same Mini-Haplotype Profile	Resolution (in %)
B*0702	B*070201, B*070202, B*070203, B*070204	B*0703, B*0721, B*0722, B*0723, B*0730, B*0733, B*0735	98,0
B*0801	B*0801	B*0808N, B*0818, B*0819N	99,3
B*1302	B*1302	B*1308	99,6
B*1501	B*15010101, B*15010102N, B*150103, B*150104	B*1528, B*1533, B*1534, B*1560, B*1575, B*1578, B*1579N, B*1581, B*1582	97,6
	B*150102		100
B*1801	B*180101, B*180102	B*1805, B*1817N	99,3
B*3501	B*350101, B*350102	B*3507, B*3540N, B*3541, B*3542, B*5305	98,7
B*3503	B*3503	B*3536	99,6
B*4001	B*400101, B*400102,	B*4011, B*401401, B*401402, B*401403, B*4022N	98,7
	B*400103		100
	B*400104	B*4004	99,6
B*4402	B*44020101, B*44020102S, B*440202, B*440203	B*4411, B*4419N, B*4422, B*4423N, B*4427, B*4433, B*4434, B*4435	97,8
B*4403	B*440301	B*4413, B*4426, B*4429, B*4430, B*4432, B*4436, B*4437, B*4438, B*4439	98,2
	B*440302	B*4407	99,6
B*5101	B*510101, B*510102, B*510105	B*5111N, B*5112, B*5114, B*5118, B*5126, B*5127N, B*5128, B*5130, B*5132, B*5133	97,6
	B*510103		100
	B*510104	B*5124	99,6
B*5701	B*570101	B*5706, B*5708	99,5
	B*570102		100

Capture: Alleles in a same field have the same mini-haplotype profile; grey high lighted are all alleles with identical sequences over exons 2 and 3.

BNSDOCID: <WO_____2005052189A2_I_>

TABLE IX

Frequent Alleles of HLA-DRB1*	Groups of frequent Alleles with same four-digit type	Rare Alleles with same Mini-Haplotype Profile	Resolution (in %)
DRB1*0101	DRB1*010101	DRB1*0105, DRB1*0107, DRB1*0111	98,9
	DRB1*010102		100
DRB1*0301	DRB1*030101, DRB1*030102	DRB1*0307, DRB1*0312, DRB1*0313, DRB1*0315, DRB1*0316, DRB1*0318, DRB1*0322, DRB1*0323	97,2
DRB1*0401	DRB1*040101, DRB1*040102	DRB1*0409, DRB1*0426, DRB1*0433	98,6
DRB1*0701	DRB1*070101, DRB1*070102	DRB1*0703, DRB1*0704, DRB1*0705, DRB1*0707	98,3
DRB1*1101	DRB1*110101, DRB1*110102, DRB1*110103, DRB1*110104, DRB1*110105	DRB1*112701, DRB1*112702, DRB1*1130, DRB1*1139	97,5
DRB1*1104	DRB1*110401, DRB1*110402	DRB1*1134, DRB1*1146	98,9
DRB1*1302	DRB1*130201, DRB1*130202	DRB1*1331, DRB1*1339, DRB1*1341	98,6
DRB1*1501	DRB1*150101, DRB1*150103, DRB1*150105	DRB1*1503, DRB1*1506, DRB1*1509, DRB1*1513	98,0
	DRB1*150102		100
	DRB1*150104	DRB1*1512	99,4

Capture: Alleles in a same field have the same mini-haplotype profile; grey high lighted are all alleles with identical sequences over exon 2 (base 101 to 356)

The complete list of HLA alleles and sub-groups generated by the most informative mini-haplotyping markers (ten each for HLA-A, HLA-B and HLA-DRB1) are listed in Tables X to XII below.

BNSDOCID: <WO_____2005052189A2_I_>

TABLE X

Position	95	96	97	98	411	412	413	414	536	537	538	539	279	280	281	282	567	568	569	570	571	365	366	367	368	256	257	258	259	289	290	291	292	238	239	240	241	242	270	271	272	273
cDNA																																											
A*3008	T	C	T	A	T	G	A	A	A	G	T	T	C	C	A	G	G	G	A	G	T	T	G	T	A	C	A	G	G	A	C	T	G	A	G	G	C	C	T	G	T	G
A*6806	T	C	T	A	T	G	A	A	A	G	T	G	C	C	A	G	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*0244	T	C	T	A	C	C	A	C	A	G	C	A	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	C	G	G	T	C	C	A	G	T	G
A*0254	T	C	T	A	C	C	A	C	A	G	C	A	C	C	A	C	G	G	A	C	G	T	G	T	A	G	G	G	G	A	C	T	C	G	G	T	C	C	A	G	T	G
A*0205	T	C	T	A	C	C	A	C	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	C	G	G	T	C	C	A	G	T	G
A*0208	T	C	T	A	C	C	A	C	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	C	G	G	T	C	C	T	G	T	G
A*6815	T	C	T	A	C	C	A	C	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	C	G	G	G	C	C	T	G	T	G
A*6802	T	C	T	A	C	C	A	C	A	G	T	G	C	C	A	G	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*6818N	T	C	T	A	C	C	A	C	A	G	T	G	C	C	A	G	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*0228	T	C	T	A	C	C	A	C	A	G	T	T	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	C	A	G	T	C	C	A	G	T	G
A*0206	T	C	T	A	C	C	A	C	A	G	T	T	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	C	G	G	T	C	C	A	G	T	G
A*0214	T	C	T	A	C	C	A	C	A	G	T	T	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	C	G	G	T	C	C	A	G	T	G
A*0221	T	C	T	A	C	C	A	C	A	G	T	T	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	C	G	G	T	C	C	A	G	T	G
A*0257	T	C	T	A	C	C	A	C	A	G	T	T	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	C	G	G	T	C	C	A	G	T	G
A*0251	T	C	T	A	C	C	A	C	A	G	T	T	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	C	G	G	T	C	C	A	G	T	G
A*0261	T	C	T	A	C	C	A	C	A	G	T	T	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	C	G	G	T	G	C	A	G	T	G
A*0210	T	C	T	A	C	C	A	C	A	G	T	T	C	C	A	C	G	G	A	G	T	T	G	T	T	G	G	G	G	A	C	T	C	G	G	T	C	C	A	G	T	G
A*6901	T	C	T	A	C	C	A	C	A	G	T	T	C	C	A	G	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2504	T	C	T	A	C	C	A	G	A	G	C	A	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2608	T	C	T	A	C	C	A	G	A	G	C	A	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2603	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	C	G	G	G	C	C	T	G	T	G
A*2606	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	C	G	G	G	C	C	T	G	T	G
A*2610	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2609	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*250101	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*250102	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2601	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2602	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2605	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2611N	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2614	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2615	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2617	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2604	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*6603	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2612	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2618	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*4301	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	C	T	G	C	A	C	T	G	G	G	G	C	C	T	G	T	G
A*260701	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	G	G	G	G	C	C	A	G	T	G
A*260702	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	G	G	G	T	C	C	A	G	T	G
A*2619	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	G	G	G	A	G	T	T	G	T	A	C	A	G	G	A	C	T	G	A	G	G	C	C	T	G	T	G
A*3401	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	G	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	A	G	T	G
A*3405	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	G	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	A	G	T	G
A*6602	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	G	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2502	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	G	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*2613	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	G	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*6601	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	G	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*6604	T	C	T	A	C	C	A	G	A	G	T	G	C	C	A	G	G	G	A	G	T	T	G	T	A	C	G	G	A	A	C	T	G	G	G	G	C	C	T	G	T	G
A*0241	T	C	T	A	C	C	A	G	A	G	T	T	C	C	A	C	G	G	A	G	T	T	G	T	A	G	G	G	G	A	C	T	C	G	G	T	C	C	A	G	T	G
A*1106	T	C	T	A	C	C	G	G	A	G	C	A	C	C	A	G	G	G	A	G	T	T	G	T	A	C	A	G	G	A	C	T	C	G	G	G	C	C	T	G	T	G
A*1103	T	C	T	A	C	C	G	G	A	G	C	A	C	C	A	G	G	G	A	G	T	T	G	T	A	C	A	G	G	A	C	T	G	G	G	G	C	C	T	G	T	G
A*1104	T	C	T	A	C	C	G	G	A	G	C	A	C	C	A	G	G	G	A	G	T	T	G	T	A	C	A	G	G	A	C	T	G	G	G	G	C	C	T	G	T	G
A*1107	T	C	T	A	C	C	G	G	A	G	C	A	C	C	A	G	G	G	A	G	T	T	G	T	A	C	A	G	G	A	C	T	G	G	G	G	C	C	T	G	T	G
A*110101	T	C	T	A	C	C	G	G	A	G	C	A	C	C	A	G	G	G	A	G	T	T	G	T	A	C	A	G	G	A	C	T	G	G	G	G	C	C	T	G	T	G
A*110102	T	C	T	A	C	C	G	G	A	G	C	A	C	C	A	G	G	G	A	G	T	T	G	T	A	C	A	G	G	A	C	T	G	G	G	G	C	C	T	G	T	G
A*1102	T	C	T	A	C	C	G	G	A	G	C	A	C	C	A	G	G	G	A	G	T	T	G	T	A	C	A	G	G	A	C	T	G	G	G	G	C	C	T	G	T	G

BNSDOCID: <WO_____2005052189A2_I_>



BNSDOCID: <WO_____2005052189A2_I_>



BNSDOCID: <WO_____2005052189A2_I_>



BNSDOCID: <WO_____2005052189A2_I_>



BNSDOCID: <WO_____2005052189A2_I_>

TABLE XI

Position	536	537	538	539	419	420	421	422	423	559	560	561	562	408	409	410	411	412	269	270	271	272	358	359	360	361	362	298	299	300	301	302	363	364	365	366	203	204	205	206	366	367	368	369
cDNA																																													
B-0804	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	C	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-0817	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	C	C	A	G	A	G	G	A	G	A	A	C	A	T	G	G	A	G	A	G	T	A	C
B-4102	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	C	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	G	A	A	G	T	A	C
B-4103	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	C	C	A	G	A	G	G	A	G	A	G	G	A	T	G	G	G	A	A	G	T	A	C
B-4101	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	C	C	A	G	A	G	G	A	G	A	G	G	A	T	G	G	G	A	A	G	T	A	T
B-4105	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	C	C	A	G	A	G	G	A	G	A	G	G	A	T	G	G	G	A	A	G	T	A	T
B-4106	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	C	C	A	G	A	G	G	A	G	A	G	G	A	T	G	G	G	A	A	G	T	A	T
B-0805	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	C	C	T	T	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-0809	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	C	G	A	G	A	G	G	A	T	G	G	A	G	A	G	T	A	T
B-0802	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	G	G	A	G	A	A	C	A	T	G	G	A	G	A	G	T	A	C
B-0803	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	G	G	A	G	A	A	C	A	T	G	G	A	G	A	G	T	A	C
B-0801	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-0808N	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-0810	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-0818	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-0819N	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-0812	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	G	G	A	G	A	G	G	A	T	G	G	A	G	A	G	T	A	C
B-0816	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	G	G	A	G	A	G	G	A	T	G	G	A	G	A	G	T	A	C
B-0815	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	G	G	T	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-4204	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	A	C	A	G	A	C	G	A	G	A	G	G	A	T	G	G	A	G	A	G	T	A	T
B-4201	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	A	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-4202	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	A	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-4205	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	A	T	C	T	A	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-0814	A	G	G	A	A	C	G	C	C	A	C	G	T	G	T	A	C	C	T	C	T	T	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-0719	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	G	T	C	T	A	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-0807	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	G	T	C	T	T	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-4104	A	G	G	A	A	C	G	C	C	A	C	G	T	G	C	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	G	A	A	G	T	A	C
B-0821	A	G	G	A	A	C	G	C	C	C	T	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-4414	A	G	G	A	A	C	G	C	C	C	T	G	T	G	C	A	T	A	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-5108	A	G	G	A	A	C	G	C	C	C	T	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	C	G	A	G	A	A	G	A	T	G	G	G	A	C	G	T	A	T
B-5120	A	G	G	A	A	C	G	C	C	C	T	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	C	G	A	G	A	A	G	A	T	G	G	G	A	C	G	T	A	T
B-5709	A	G	G	A	A	C	G	C	C	C	T	G	T	G	C	A	T	A	A	C	A	T	C	A	G	G	T	G	A	G	A	A	G	A	T	G	G	G	A	T	G	T	A	T
B-4420	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	C	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	T
B-44020101	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-44020102S	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-440202	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-440203	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4405	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4411	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4412	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4419N	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4422	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4423N	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4424	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4425	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4427	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4433	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4434	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4435	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4408	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	T	G	T	A	C
B-4409	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	G	G	A	T	G	G	G	A	A	G	T	A	C
B-4406	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	T	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	C	G	T	A	C
B-8301	A	G	G	A	A	C	G	C	C	C	T	G	T	G	T	A	T	G	T	C	T	A	C	A	G	A	G	G	A	G	A	G	G	A	T	G	G	A	G	A	G	T	A	C
B-0704	A	G	G	A	A	C	G	C	C	G	A	G	T	G	C	A	T	G	T	C	T	A	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-0725	A	G	G	A	A	C	G	C	C	G	A	G	T	G	C	A	T	G	T	C	T	A	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C
B-4416	A	G	G	A	A	C	G	C	C	G	A	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-4421	A	G	G	A	A	C	G	C	C	G	A	G	T	G	T	A	T	G	T	C	T	C	C	A	G	A	G	G	A	G	A	A	G	A	T	G	G	G	A	A	G	T	A	C
B-0811	A	G	G	A	A	C	G	C	C	G	C	G	T	G	C	A	T	A	T	C	T	T	C	A	G	A	G	G	A	G	A	G	C	A	T	G	G	A	G	A	G	T	A	C

BNSDOCID: <WO_____2005052189A2_I_>


B-1551 AGGACCGCCCTGTGCATGTCTGCAGAGGAGAGGATGGAGAGTAC
B-4417 AGGACCGCCCTGTGCATGTCTCCAGAGGAGAAAGATGGGAAGTAC
B-4418 AGGATAGCCCTGTGTATATCTCCAGAGGAGAAAGATGGGAAGTAT
B-4415 AGGATAGCCCTGTGTATATCTCCAGAGGAGAAGGATGGGAAGTAT
B-4501 AGGATAGCCCTGTGTATATCTCCAGAGGAGAAGGATGGGAAGTAT
B-4503 AGGATAGCCCTGTGTATATCTCCAGAGGAGAAGGATGGGAAGTAT
B-4504 AGGATAGCCCTGTGTATATCTCCAGAGGAGAAGGATGGGAAGTAT
B-4505 AGGATAGCCCTGTGTATATCTCCAGAGGAGAAGGATGGGAAGTAT
B-4506 AGGATAGCCCTGTGTATATCTACAGAGGAGAAGGATGGGAAGTAT
B-8201 AGGATAGCCCTGTGCATATCTACAGAGGAGAAGGATGGAGAGTTT
B-8202 AGGATAGCCCTGTGCATATCTACAGAGGAGAAGGATGGAGAGTTT
B-3538 AGGATCGCCCTGTGCATGTCTTCAGAGGAGAAGGATGGGACGTAT
B-3701 AGGATCGCCCACGTGTATATCTCCAGAGGAGGAGGATGGGACGTCT
B-3703N AGGATCGCCCACGTGTATATCTCCAGAGGAGGAGGATGGGACGTCT
B-3704 AGGATCGCCCACGTGTATATCTCCAGAGGAGGAGGATGGGACGTCT
B-3705 AGGATCGCCCACGTGTATATCTCCAGAGGAGGAGGATGGGACGTCT
B-4502 AGGATCGCCCTGTGTATATCTCCAGAGGAGAGGATGGGAAGTAT
B-0731 AGCGACGCCCACGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-0806 AGCGACGCCCACGTGCATATCTTCAGAGGAGAACATGGAGAGTAC
B-0820 AGCGACGCCCACGTGCATATCTTCAGAGGAGAGCATGGAGAGTAC
B-4404 AGCGACGCCCACGTGTATGTCTCCAGAGGAGAAAGATGGGAAGTAC
B-0720 AGCGACGCCCTGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-0724 AGCGACGCCCTGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-3518 AGCGACGCCCTGTGCATATCTTCAGAGGAGAGCGATGGGACGTAT
B-4428 AGCGACGCCCTGTGTATGTCTCCAGAGGAGAAAGATGGGAAGTAT
B-5105 AGCGACGCCCTGTGCATATCTTCAGACGAGAAAGATGGGACGTAT
B-5129 AGCGACGCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-5702 AGCGACGCCCTGTGCATAACATCAGGTGAGAAAGATGGGATGTAT
B-5704 AGCGACGCCCTGTGTATGACATCAGGTGAGAAAGATGGGATGTAT
B-5705 AGCGACGCCCTGTGTATAACATCAGAGGAGAAAGATGGGATGTAT
B-0705 AGCGACGCCCGAGTGCATATCTACAGAGGAGAGCATGGAGAGTAC
B-0706 AGCGACGCCCGAGTGCATATCTACAGAGGAGAGCATGGAGAGTAC
B-0732 AGCGACGCCCGAGTGCATATCTTCAGAGGAGAGCATGGAGAGTAC
B-4015 AGCGACGCCCGAGTGCATATCTCCAGAGGAGAGCATGGAAAGTAC
B-4016 AGCGACGCCCGAGTGCATATCTCCAGAGGAGAGCATGGAAAGTAC
B-4023 AGCGACGCCCGAGTGCATATCTCCAGAGGAGAGGATGGGAAGTAC
B-4805 AGCGACGCCCGAGTGCATATCTCCAGAGGAGAGCATGGAGAGTAC
B-0713 AGCGACGCCCGAGTGCATGAGTACAGAGGTGAGCATGGAGCGTAC
B-070201 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-070202 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-070203 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-070204 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-0703 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-0716 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-0721 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-0722 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-0723 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-0729 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-0730 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-0733 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-0735 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGCATGGAGAGTAC
B-0707 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGGATGGAGAGTAC
B-0712 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGGATGGAGAGTAT
B-0718 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAGGATGGAGAGTAT
B-0736 AGCGACGCCCGAGTGCATGTCTACAGAGGAGAACATGGAGAGTAC
B-0715 AGCGACGCCCGAGTGCATGTCTACAGAGGTGAGCATGGAGAGTAC
B-0727 AGCGACGCCCGAGTGCATGTCTTCAGAGGAGGACATGGAGAGTAC
B-4032 AGCGACGCCCGAGTGCATGTCTCCAGAGGAGAGCATGGGAAGTAC
B-4808 AGCGACGCCCGAGTGCATGTCTCCAGAGGAGAGCATGGAGAGTAC



BNSDOCID: <WO_____2005052189A2_I_>


B-1578 AGTGCCGCCCTGTGCATGTCTCCAGAGGAGAGGATGGGATGTAC
B-1579N AGTGCCGCCCTGTGCATGTCTCCAGAGGAGAGGATGGGATGTAC
B-1581 AGTGCCGCCCTGTGCATGTCTCCAGAGGAGAGGATGGGATGTAC
B-1582 AGTGCCGCCCTGTGCATGTCTCCAGAGGAGAGGATGGGATGTAC
B-1527 AGTGCCGCCCTGTGCATGTCTCCAGAGGAGAGGATGGGATGTTT
B-1532 AGTGCCGCCCTGTGCATGTCTCCAGAGGAGAGGATGGGATGTCT
B-1557 AGTGCCGCCCTGTGCATGTCTCCAGAGGTGAAGATGGGATGTAC
B-1566 AGTGCCGCCCTGTGCATGTCTGCAGAGGAGAGGATGGGATGTAC
B-1508 AGTGCCGCCCTGTGCATGTCTTCAGAGGAGAGGATGGGATGTAC
B-1556 AGTGCCGCCCTGTGCATGTCTTCAGAGGAGAGGATGGGATGTAC
B-351401 AGTGCCGCCCTGTGCATGTCTTCAGAGGAGAGGATGGGACGTAT
B-351402 AGTGCCGCCCTGTGCATGTCTTCAGAGGAGAGGATGGGACGTAT
B-3543 AGTGCCGCCCTGTGCATGTCTTCAGAGGAGAGGATGGGACGTAC
B-1573 AGTGTAGCCCTGTGCATATCTCCAGAGGAGAGGATGGGATGTAC
B-1558 AGTGTCGCCCTGTGCATATCTCCAGAGGAGAGGATGGGATGTAC
B-3918 AGTGTCGCCCACGTGCATATCTGCAGAGGAGAGGATGGGAGGTAC
B-0734 AGCTACGCCCACGTGCATATCTACAGAGGAGAGCCATGGAGGTAC
B-5504 AGCTACGCCCACGTGCATATCTACAGAGGAGAGCCATGGAGGTAC
B-5612 AGCTACGCCCACGTGCATATCTACAGAGGAGAGGATGGAGGTAC
B-4039 AGCTACGCCCACGTGCATATCTCCAGAGGAGAGCCATGGGAAGTAC
B-2715 AGCTACGCCCACGTGTACCTCTGCAGAAGAGAGCTATGGAGGTAT
B-3914 AGCTACGCCCACGTGCATATCTGCAGAGGAGAGCCATGGAGGTAC
B-0813 AGCTACGCCCACGTGCATATCTTCAGAGGAGAGCCATGGAGGTAC
B-5121 AGCTACGCCCACGTGCATATCTTCAGACGAGAAAGATGGGACGTAT
B-5508 AGCTACGCCCCTGTGCATATCTACAGAGGAGAGGATGGAGGTAC
B-560501 AGCTACGCCCCTGTGCATATCTACAGACGAGAGGATGGAGGTAT
B-560502 AGCTACGCCCCTGTGCATATCTACAGACGAGAGGATGGAGGTAT
B-5606 AGCTACGCCCCTGTGCATATCTACAGACGAGAGGATGGGACGTAT
B-1548 AGCTACGCCCCTGTGCATATCTCCAGAGGAGAGGATGGGATGTAC
B-4005 AGCTACGCCCCTGTGCATATCTCCAGAGGAGAGCCATGGGAAGTAC
B-4026 AGCTACGCCCCTGTGCATATCTCCAGAGGAGAGGATGGGAAGTAC
B-4028 AGCTACGCCCCTGTGCATATCTCCAGAGGAGAGGATGGGAAGTAT
B-5107 AGCTACGCCCCTGTGCATATCTCCAGACGAGAAGATGGGACGTAT
B-520101 AGCTACGCCCCTTGTGCATATCTCCAGACGAGAAGATGGGACGTAT
B-520102 AGCTACGCCCCTTGTGCATATCTCCAGACGAGAAGATGGGACGTAT
B-520103 AGCTACGCCCCTTGTGCATATCTCCAGACGAGAAGATGGGACGTAT
B-520104 AGCTACGCCCCTTGTGCATATCTCCAGACGAGAAGATGGGACGTAT
B-5203 AGCTACGCCCCTTGTGCATATCTCCAGACGAGAAGATGGGACGTAT
B-5204 AGCTACGCCCCTTGTGCATATCTCCAGACGAGAAGATGGGACGTAT
B-5205 AGCTACGCCCCTTGTGCATATCTCCAGACGAGAAGATGGGACGTA
B-5202 AGCTACGCCCGTGTGCATATCTCCAGACGAGAAGATGGGATGTAT
B-7805 AGCTACGCCCCTGTGCATATCTCCAGACGAGAGGATGGGACGTAT
B-1509 AGCTACGCCCCTGTGCATATCTCTGCAGAGGAGAGGATGGAGGTAC
B-5122 AGCTACGCCCCTGTGCATATCTGCAGACGAGAAGATGGGACGTAT
B-7803 AGCTACGCCCCTGTGCATATCTGCAGACGAGAGGATGGGACGTAT
B-570301 AGCTACGCCCCTGTGCATAACATCAGGTGAGAAGATGGGATGTAT
B-570302 AGCTACGCCCCTGTGCATAACATCAGGTGAGAAGATGGGATGTAT
B-5707 AGCTACGCCCCTGTGCATAACATCAGGTGAGAAGATGGGATGTAT
B-5808 AGCTACGCCCCTGTGCATAACATCAGACGAGAAGATGGGACGTAT
B-510101 AGCTACGCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-510102 AGCTACGCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-510103 AGCTACGCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-510104 AGCTACGCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-510105 AGCTACGCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-510201 AGCTACGCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-510202 AGCTACGCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-5103 AGCTACGCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-5109 AGCTACGCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-5111N AGCTACGCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-5112 AGCTACGCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT





BNSDOCID: <WO_____2005052189A2_I_>


B-180101 A G C T C C G C C A C G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T A C
B-180102 A G C T C C G C C A C G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T A C
B-1803 A G C T C C G C C A C G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T A C
B-1804 A G C T C C G C C A C G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T A C
B-1805 A G C T C C G C C A C G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T A C
B-1811 A G C T C C G C C A C G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T A C
B-1812 A G C T C C G C C A C G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T A C
B-1815 A G C T C C G C C A C G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T A C
B-1817N A G C T C C G C C A C G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T A C
B-1808 A G C T C C G C C A C G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T G C
B-1818 A G C T C C G C C A C G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T C T
B-1806 A G C T C C G C C A C G T G C A T G T C T C C A G A G G T G A G G A T G G G A C G T A C
B-3907 A G C T C C G C C A C G T G C A T G T C T G C A G A G G A G A G G A T G G G A G A G T A C
B-1544 A G C T C C G C C A C G T G T A T G T C T G C A G A G G A G A G G A T G G G A T G T A T
B-1807 A G C T C C G C C A C G T G C A T G T C T T C A G A G G A G A G G A T G G G A C G T A C
B-3535 A G C T C C G C C A C G T G C A T G T C T T C A G A G G A G A G G A T G G G A C G T A T
B-5805 A G C T C C G C C A C G T G C A T G A C A T C A G A G G A G A A G A T G G G A C G T A T
B-5609 A G C T C C G C C G T G T G C A T G T C T A C A G A G G A G A G G A T G G A G A G T A T
B-1304 A G C T C C G C C G T G T G C A T G T C T C C A G A C G A G A A G A T G G G A T G T A T
B-5309 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A A G A T G G G A C G T A T
B-1503 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A G G A T G G G A G A G T A C
B-1561 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A G G A T G G G A G A G T A C
B-1564 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A G G A T G G G A G A G T A C
B-1574 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A G G A T G G G A G A G T A C
B-1505 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A G G A T G G G A T G T A C C
B-1539 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A G G A T G G G A T G T A C C
B-1562 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A G G A T G G G A G A G T A T
B-4802 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A G G A T G G G A G A G T A T
B-1520 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A G G A T G G G A T G T A T
B-3520 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T A T
B-3528 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A G G A T G G G A C G T A
B-1531 A G C T C C G C C G T G T G T A T G T C T C C A G A G G A G A G G A T G G G A T G T A C
B-1555 A G C T C C G C C G T G T G T A T G T C T C C A G A G G A G A G C C A T G G G A T G T A C
B-1513 A G C T C C G C C G T G T G T A T G T C T C C A G A G G A G A A G A T G G G A T G T A T
B-1536 A G C T C C G C C G T G T G T A T G T C T C C A G A G G A G A A G A T G G G A T G T A T
B-1502 A G C T C C G C C G T G T G T A T G T C T C C A G A G G A G A G G A T G G G A T G T A T
B-1525 A G C T C C G C C G T G T G T A T G T C T C C A G A G G A G A G G A T G G G A T G T A T
B-1506 A G C T C C G C C G T G T G T A T G T C T C C A G A G G A G A G G A T G G G A T G T T T
B-1523 A G C T C C G C C G T G T G C A T G T C T C C A G A G G A G A A G A T G G G A G A G T A C
B-1518 A G C T C C G C C G T G T G C A T G T C T G C A G A G G A G A G G A T G G G A G A G T A C
B-1572 A G C T C C G C C G T G T G C A T G T C T G C A G A G G A G A G G A T G G G A G A G T A C
B-3526 A G C T C C G C C G T G T G C A T G T C T G C A G A G G A G A G G A T G G G A G A G T A T
B-1521 A G C T C C G C C G T G T G T A T G T C T C C A G A G G A G A G G A T G G G A T G T A T
B-1516 A G C T C C G C C G T G T G C A T G A C A T C A G A G G A G A A G A T G G G A T G T A T
B-1567 A G C T C C G C C G T G T G C A T G A C A T C A G A G G A G A A G A T G G G A T G T A T
B-3537 A G C T C C G C C G T G T G C A T G T C T T C A G A C G A G A G G A T G G G A C G T A T
B-1529 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G A G G A T G G G A G A G T A C
B-3505 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G A G C A T G G G A C G T A C
B-3516 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G A G C A T G G G A C G T A C
B-3517 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G A G C A T G G G A C G T A C
B-3530 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G A G C A T G G G A C G T A C
B-3532 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G A G G A T G G G A C G T A C
B-3527 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G A A G A T G G G A C G T A T
B-5301 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G A A G A T G G G A C G T A T
B-5302 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G A A G A T G G G A C G T A T
B-5306 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G A A G A T G G G A C G T A T
B-5308 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G A A G A T G G G A C G T A T
B-5303 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G G A G A T G G G A C G T A T
B-3519 A G C T C C G C C G T G T G C A T G T C T T C A G A G G A G A G G A T G G G A A G T A T



BNSDOCID: <WO_____2005052189A2_I_>


B-5607 AGCTTAGCCCTGTGCATATCTACAGACGAGAAGATGGAGAGTAT
B-5602 AGCTTAGCCCTGTGCATATCTACAGAGGAGAAGGATGGAGAGTAC
B-5604 AGCTTAGCCCTGTGCATATCTACAGAGGAGAAGGATGGAGAGTAC
B-5608 AGCTTAGCCCTGTGCATAAGTACAGACGAGAGGATGGAGAGTAT
B-1302 AGCTTAGCCCGAGTGCATATCTCCAGACGAGAAGATGGGATGTAT
B-1308 AGCTTAGCCCGAGTGCATATCTCCAGACGAGAAGATGGGATGTAT
B-1309 AGCTTAGCCCGAGTGCATATCTCCAGACGAGAGGATGGGATGTAT
B-1301 AGCTTAGCCCGAGTGCATATCTCCAGAGGAGAAGATGGGATGTAT
B-1307N AGCTTAGCCCGAGTGCATATCTCCAGAGGAGAAGATGGGATGTAT
B-1311 AGCTTAGCCCGAGTGCATATCTCCAGAGGAGAAGATGGGATGTAC
B-4048 AGCTTAGCCCGAGTGCATATCTCCAGAGGAGAGGATGGGAAGTAC
B-1401 AGCTTCGCCCACGTGTATATCTGCAGTGGAGAGGATGGAGAGTAT
B-1402 AGCTTCGCCCACGTGTATATCTGCAGTGGAGAGGATGGAGAGTAT
B-1404 AGCTTCGCCCACGTGTATAACTGCAGTGGAGAGGATGGAGAGTAT
B-1405 AGCTTCGCCCACGTGTATATCTGCAGAGGAGAAGCATGGAGAGTAC
B-140601 AGCTTCGCCCACGTGTATATCTGCAGAGGAGAAGGATGGAGAGTAC
B-140602 AGCTTCGCCCACGTGTATATCTGCAGAGGAGAAGGATGGAGAGTAT
B-3916 AGCTTCGCCCACGTGCATATCTACACAGGAGAAGGATGGAGAGTAC
B-5513 AGCTTCGCCCACGTGCATATCTACAGACGAGAAGGATGGAGAGTAT
B-3920 AGCTTCGCCCACGTGCATATCTACAGAGGAGAAAGATGGAGAGTAC
B-3910 AGCTTCGCCCACGTGCATATCTACAGAGGAGAAGGATGGAGAGTAC
B-670101 AGCTTCGCCCACGTGCATATCTACAGAGGAGAAGGATGGAGAGTAC
B-670102 AGCTTCGCCCACGTGCATATCTACAGAGGAGAAGGATGGAGAGTAC
B-6702 AGCTTCGCCCACGTGCATAAGTACAGAGGTGAAGGATGGAGGGTAC
B-3803 AGCTTCGCCCACGTGCATATCTCCAGAGGAGAAGGATGGAGAGTAC
B-390201 AGCTTCGCCCACGTGCATATCTCCAGAGGAGAAGGATGGAGAGTAC
B-390202 AGCTTCGCCCACGTGCATATCTCCAGAGGAGAAGGATGGAGAGTAC
B-3913 AGCTTCGCCCACGTGCATATCTCCAGAGGAGAAGGATGGAGAGTAC
B-3923 AGCTTCGCCCACGTGCATATCTCCAGAGGAGAAGGATGGAGAGTAC
B-390601 AGCTTCGCCCACGTGCATATCTGCAGACGAGAAGGATGGAGAGTAC
B-3928 AGCTTCGCCCACGTGCATATCTGCAGACGAGAAGGATGGAGAGTAC
B-390602 AGCTTCGCCCACGTGCATATCTGCAGACGAGAAGGATGGAGAGTAT
B-3801 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAAGATGGAGAGTAC
B-380201 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAAGATGGAGAGTAC
B-380202 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAAGATGGAGAGTAC
B-3804 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAAGATGGAGAGTAC
B-3805 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAAGATGGAGAGTAC
B-3809 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAAGATGGAGAGTAC
B-3924 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGCCACGGAGAGTAC
B-3903 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGCCATGGAGAGTAC
B-390101 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGGATGGAGAGTAC
B-390103 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGGATGGAGAGTAC
B-390104 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGGATGGAGAGTAC
B-3904 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGGATGGAGAGTAC
B-3905 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGGATGGAGAGTAC
B-3912 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGGATGGAGAGTAC
B-3922 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGGATGGAGAGTAC
B-3925N AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGGATGGAGAGTAC
B-3926 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGGATGGAGAGTAC
B-3915 AGCTTCGCCCACGTGCATGTCTGCAGAGGAGAAGGATGGAGAGTAC
B-3909 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGGATGGAGAGTCT
B-3919 AGCTTCGCCCACGTGCATATCTGCAGAGGAGAAGGATGGGACGTAC
B-3927 AGCTTCGCCCACGTGCATATCTGCAGAGGTGAGGATGGAGAGTAC
B-3806 AGCTTCGCCCACGTGCATATCTTCAGAGGAGAAGATGGGACGTAC
B-3807 AGCTTCGCCCACGTGCATATCTTCAGAGGAGAAGATGGGACGTAC
B-3808 AGCTTCGCCCATGTGCATATCTGCAGAGGAGAAGATGGAGAGTAC
B-511301 AGCTTCGCCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-511302 AGCTTCGCCCCTGTGCATATCTTCAGACGAGAAGATGGGACGTAT
B-3506 AGCTTCGCCCCTGTGCATATCTTCAGAGGAGAAGGATGGGACGTAT


B-5307 AGCTTCGCCCTGTGTATATCTTCAGAGGAGAAGATGGGACGTCT
B-3503 AGCTTCGCCCTGTGCATGTCTTCAGAGGAGAGGATGGGACGTAT
B-3513 AGCTTCGCCCTGTGCATGTCTTCAGAGGAGAGGATGGGACGTAT
B-3536 AGCTTCGCCCTGTGCATGTCTTCAGAGGAGAGGATGGGACGTAT
B-5304 AGCTTCGCCCTGTGCATGTCTTCAGAGGAGAAGATGGGACGTAT
B-5611 AGCTTCGCCCTGTGCATGTCTACAGAGGAGAGGATGGAGAGTAT
B-3533 AGCTTCGCCGAGTGCATGTCTTCAGAGGAGAGGATGGGACGTAT
B-4036 AGCTTCGCCGAGTGCATATCTCCAGAGGAGAGGATGGGAAGTAC
B-4807 AGCTTCGCCGAGTGCATATCTCCAGAGGAGAGCATGGAGAGTAC
B-7301 AGCTTCGCCGAGTGTATATCTGCAGACGTGGGGATGGAGAGTAT

TABLE XII

Position in cDNA	125	126	127	128	193	194	195	196	197	198	199	200	224	225	226	227	261	262	263	264	283	284	285	286	296	297	298	299	308	309	310	311	318	319	320	321	341	342	343	344	345
DRB1-070101	A	T	A	A	G	A	G	T	T	C	G	T	A	G	T	A	C	G	A	G	G	A	C	A	A	C	A	G	A	G	G	T	G	G	G	T	T	G	G	T
DRB1-070102	A	T	A	A	G	A	G	T	T	C	G	T	A	G	T	A	C	G	A	G	G	A	C	A	A	C	A	G	A	G	G	T	G	G	G	T	T	G	G	T
DRB1-0703	A	T	A	A	G	A	G	T	T	C	G	T	A	G	T	A	C	G	A	G	G	A	C	A	A	C	A	G	A	G	G	T	G	G	G	T	T	G	G	T
DRB1-0704	A	T	A	A	G	A	G	T	T	C	G	T	A	G	T	A	C	G	A	G	G	A	C	A	A	C	A	G	A	G	G	T	G	G	G	T	T	G	G	T
DRB1-0705	A	T	A	A	G	A	G	T	T	C	G	T	A	G	T	A	C	G	A	G	G	A	C	A	A	C	A	G	A	G	G	T	G	G	G	T	T	G	G	T
DRB1-0707	A	T	A	A	G	A	G	T	T	C	G	T	A	G	T	A	C	G	A	G	G	A	C	A	A	C	A	G	A	G	G	T	G	G	G	T	T	G	G	T
DRB1-0706	A	T	A	A	G	A	G	T	T	C	G	T	A	G	T	A	G	G	A	G	G	A	C	A	A	C	A	G	A	G	G	T	G	G	G	T	T	G	G	T
DRB1-0708	A	T	A	A	G	A	G	G	T	C	G	T	A	G	T	A	C	G	A	G	G	A	C	A	A	C	A	G	A	G	G	T	G	G	G	T	T	G	G	T
DRB1-0441	A	T	G	A	G	A	G	A	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	A	G	G	T	G	G	G	T	T	G	T	G
DRB1-0439	A	T	G	A	G	A	G	T	A	C	G	T	A	C	T	A	C	G	A	G	G	A	C	C	A	G	A	G	A	G	G	T	G	G	G	T	T	G	T	G
DRB1-0416	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	C	A	G	G	A	C	C	A	G	A	A	C	G	G	T	G	G	G	T	T	G	G	T
DRB1-0402	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	A	A	C	G	A	C	G	G	T	G	G	G	T	T	G	T	G
DRB1-0412	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	A	A	C	A	G	T	G	G	T	G	G	G	T	T	G	T	G
DRB1-0418	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	A	A	C	A	G	T	G	G	T	G	G	G	T	T	G	T	G
DRB1-0414	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	A	A	C	G	A	C	G	G	T	G	G	G	T	T	G	G	T
DRB1-0438	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	A	A	G	A	A	C	G	G	T	G	G	G	T	T	G	G	T
DRB1-0413	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	A	C	G	G	T	G	G	G	T	T	G	T	G
DRB1-0422	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	A	G	G	G	T	G	G	G	T	T	G	T	G
DRB1-040101	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	A	C	G	G	T	G	G	G	T	T	G	G	T
DRB1-040102	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	A	C	G	G	T	G	G	G	T	T	G	G	T
DRB1-0409	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	A	C	G	G	T	G	G	G	T	T	G	G	T
DRB1-0426	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	A	C	G	G	T	G	G	G	T	T	G	G	T
DRB1-0433	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	A	C	G	G	T	G	G	G	T	T	G	G	T
DRB1-0437	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	C	G	A	C	G	G	T	G	G	G	T	T	G	T	G
DRB1-040301	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	A	G	G	T	G	G	G	T	T	G	T	G
DRB1-0411	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	A	G	G	T	G	G	G	T	T	G	T	G
DRB1-0427	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	A	G	G	T	G	G	G	C	T	G	T	G
DRB1-040701	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	A	G	G	T	G	G	G	T	T	G	G	T
DRB1-040702	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	A	G	G	T	G	G	G	T	T	G	G	T
DRB1-040703	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	A	G	G	T	G	G	G	T	T	G	G	T
DRB1-0417	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	A	G	G	T	G	G	G	T	T	G	G	T
DRB1-0404	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	C	G	G	T	G	G	G	T	T	G	T	G
DRB1-0410	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	C	G	G	T	G	G	G	T	T	G	T	G
DRB1-0423	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	C	G	G	T	G	G	G	T	T	G	T	G
DRB1-0432	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	C	G	G	T	G	G	G	T	T	G	T	G
DRB1-0440	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	C	G	G	T	G	G	G	T	T	G	T	G
DRB1-0444	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	C	G	G	T	G	G	G	T	T	G	T	G
DRB1-040501	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	C	G	G	T	G	G	G	T	T	G	G	T
DRB1-040502	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	C	G	G	T	G	G	G	T	T	G	G	T
DRB1-040503	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	C	G	G	T	G	G	G	T	T	G	G	T
DRB1-040504	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	C	G	G	T	G	G	G	T	T	G	G	T
DRB1-0408	A	T	G	A	G	A	G	T	A	C	G	T	A	G	T	A	C	G	A	G	G	A	C	C	A	G	A	G	C	G	G	T	G	G	G	T	T	G	G	T

BNSDOCID: <WO_____2005052189A2_I_>



BNSDOCID: <WO_____2005052189A2_I_>



BNSDOCID: <WO_____2005052189A2_I_>



BNSDOCID: <WO_____2005052189A2_I_>



BNSDOCID: <WO_____2005052189A2_I_>


DRB1-1135 CTGAGAGTACGTAGTTGGACGACTACAGCGGTGGGTTGTG
DRB1-110401 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGTG
DRB1-110402 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGTG
DRB1-1143 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGTG
DRB1-1146 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGTG
DRB1-1138 CTGAGAGTACGTAGTTGGGGGACTACAGCGGTGGGTTGTG
DRB1-1125 CTGAGAGTACGTAGTTGGAGGACTACAGTGGTGGGTTGTG
DRB1-1111 CTGAGAGTACGTAGTTGGAGGACTACGACGGTGGGTTGGT
DRB1-1133 CTGAGAGTACGTAGTTGGACGACTACAGCGGTGGGTTGGT
DRB1-110101 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-110102 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-110103 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-110104 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-110105 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-112701 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-112702 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-1130 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-1139 CTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-1123 CTGAGAGTACGTAGTTGGAGGACTACAGTGGTGGGTTGGT
DRB1-1132 CTGAGAGTACGTAGTTGGAGGACTACAGTGGTGGGTTGGT
DRB1-131402 CTGAGAGTACGTAGTTTGAGGACTACAGCGGTGGGTTGGT
DRB1-0304 CTGAGAGTCCGTAGTTCGAGGACCAGAAGGGTGGGTTGTG
DRB1-1129 CTGAGAGTCCGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-1147 CTGAGAGTCCGTAGTTGGAGGACTACAGCGGTGGGCTGTG
DRB1-1360 CTGAGAGTCCGTAGTATGAGGACCACAGCGGTGGGTTGGT
DRB1-1441 CTGAGAGTTCCTAGTACGAGGACCAGAGCGGTGGGTTGGT
DRB1-1308 CTGAGAGTTCGTAGTACGAGGACAACGACGGTGGGTTGTG
DRB1-1319 CTGAGAGTTCGTAGTACGAGGACAACGACGGTGGGTTGTG
DRB1-140502 CTGAGAGTTCGTAGTACGAGGACCGGAGAGGTGGGTTGTG
DRB1-1423 CTGAGAGTTCGTAGTACGAGGACCGGAGAGGTGGGTTGTG
DRB1-1420 CTGAGAGTTCGTAGTACGAGGACCAGAGCGGTGGGTTGTG
DRB1-1357 CTGAGAGTTCGTAGTTCGAGGACAACGACGGTGGGTTGTG
DRB1-0321 CTGAGAGTTCGTAGTTCGAGGACCAGAAGGGTGGGTTGTG
DRB1-1416 CTGAGAGTTCGTAGTAGGAGGACAACGACGGTGGGTTGTG
DRB1-1117 CTGAGAGTTCGTAGTAGGAGGACCGGAGAGGTGGGTTGTG
DRB1-140101 CTGAGAGTTCGTAGTAGGAGGACCGGAGAGGTGGGTTGTG
DRB1-140102 CTGAGAGTTCGTAGTAGGAGGACCGGAGAGGTGGGTTGTG
DRB1-1408 CTGAGAGTTCGTAGTAGGAGGACCGGAGAGGTGGGTTGTG
DRB1-1426 CTGAGAGTTCGTAGTAGGAGGACCGGAGAGGTGGGTTGTG
DRB1-1438 CTGAGAGTTCGTAGTAGGAGGACCGGAGAGGTGGGTTGTG
DRB1-1439 CTGAGAGTTCGTAGTAGGAGGACCGGAGAGGTGGGTTGTG
DRB1-1432 CTGAGAGTTCGTAGTAGGAGGACCGGAGCGGTGGGTTGTG
DRB1-1434 CTGAGAGTTCGTAGTAGGAGGACCGGAGCGGTGGGTTGTG


DRB1-1113 CTGAGAGTTCGTAGTTGGAGGACCGGAGCGGTGGGTTGTG
DRB1-1435 CTGAGAGTTCGTAGTTGGAGGACCGGAGAGGTGGGTTGTG
DRB1-1437 CTGAGAGTTCGTAGTATGAGGACAAGGCCGGTGGGTTGTG
DRB1-1445 CTGAGAGTTCGTAGTATGAGGACAGGAGAGGTGGGTTGTG
DRB1-140501 CTGAGAGTTCGTAGTATGAGGACCGGAGAGGTGGGTTGTG
DRB1-1443 CTGAGAGTTCGTAGTATGAGGACCGGAGAGGTGGGTTGTG
DRB1-1110 CTGAGAGTTCGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-111201 CTGAGAGTTCGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-111202 CTGAGAGTTCGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-1414 CTGAGAGTTCGTAGTACGAGGACCGGAGAGGTGGGTTGGT
DRB1-1436 CTGAGAGTTCGTAGTACGAGGACCGGAGAGGTGGGTTGGT
DRB1-140701 CTGAGAGTTCGTAGTAGGAGGACCGGAGAGGTGGGTTGGT
DRB1-140702 CTGAGAGTTCGTAGTAGGAGGACCGGAGAGGTGGGTTGGT
DRB1-1422 CTGAGAGTTCGTAGTAGGAGGACTACAGCGGTGGGTTGGT
DRB1-1440 CTGAGAGTTCGTAGTACGAGGACCACAGTGGTGGGTTGGT
DRB1-1444 CTGAGAGTTCGTAGTATGAGGACCGGAGAGGTGGGTTGGT
DRB1-120101 GTGAGAGCTCCTAGTTCGAGGACAACAGCGGTGGGCTGTG
DRB1-120102 GTGAGAGCTCCTAGTTCGAGGACAACAGCGGTGGGCTGTG
DRB1-1206 GTGAGAGCTCCTAGTTCGAGGACAACAGCGGTGGGCTGTG
DRB1-1207 GTGAGAGCTCCTAGTTCGAGGACAACAGCGGTGGGCTGTG
DRB1-1208 GTGAGAGCTCCTAGTTCGAGGACAACAGCGGTGGGCTGTG
DRB1-1209 GTGAGAGCTCCTAGTTCGAGGACAACAGCGGTGGGCTGTG
DRB1-120302 GTGAGAGCTCCTAGTTCGAGGACAACAGCGGTGGGTTGTG
DRB1-1204 GTGAGAGCTCCTAGTTGGAGGACAACAGCGGTGGGCTGTG
DRB1-120201 GTGAGAGCTCCTAGTTCGAGGACTACAGCGGTGGGCTGTG
DRB1-120202 GTGAGAGCTCCTAGTTCGAGGACTACAGCGGTGGGCTGTG
DRB1-0816 GTGAGAGGACGTAGTACGAGGACTACAGTGGTGGGTTGGT
DRB1-0818 GTGAGAGTACGTAGTACGAGGACAACAGCGGTGGGTTGGT
DRB1-0825 GTGAGAGTACGTAGTACGAGGACAACAGCGGTGGGTTGGT
DRB1-0810 GTGAGAGTACGTAGTACGAGGACAACAGTGGTGGGTTGTG
DRB1-0812 GTGAGAGTACGTAGTACGAGGACAACAGTGGTGGGCTGTG
DRB1-080302 GTGAGAGTACGTAGTACGAGGACAACAGTGGTGGGTTGGT
DRB1-0814 GTGAGAGTACGTAGTACGAGGACAACAGTGGTGGGTTGGT
DRB1-0819 GTGAGAGTACGTAGTACGAGGACAACAGTGGTGGGTTGGT
DRB1-0823 GTGAGAGTACGTAGTACGAGGACAACAGTGGTGGGTTGGT
DRB1-0813 GTGAGAGTACGTAGTACGAGGACCACAGTGGTGGGTTGGT
DRB1-080401 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGTTGTG
DRB1-080404 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGTTGTG
DRB1-0806 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGTTGTG
DRB1-0822 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGCTGTG
DRB1-0805 GTGAGAGTACGTAGTACGAGGACTACAGCGGTGGGTTGGT
DRB1-0824 GTGAGAGTACGTAGTACGAGGACTACAGCGGTGGGTTGGT


DRB1-080101 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGTTGGT
DRB1-080102 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGTTGGT
DRB1-080201 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGTTGGT
DRB1-080202 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGTTGGT
DRB1-080203 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGTTGGT
DRB1-0807 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGTTGGT
DRB1-0811 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGTTGGT
DRB1-080402 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGTTGTT
DRB1-080403 GTGAGAGTACGTAGTACGAGGACTACAGTGGTGGGTTGTT
DRB1-0808 GTGAGAGTACGTAGTAGGAGGACTACAGTGGTGGGTTGGT
DRB1-0815 GTGAGAGTACGTAGTAGGAGGACAACAGTGGTGGGTTGGT
DRB1-0817 GTGAGAGTACGTAGTTCGAGGACTACAGTGGTGGGTTGGT
DRB1-1317 GTGAGAGTACGTAGTTCGAGGACAACGACGGTGGGTTGTG
DRB1-1105 GTGAGAGTACGTAGTTGGAGGACTACAGCGGTGGGTTGGT
DRB1-0809 GTGAGAGTTCGTAGTACGAGGACTACAGTGGTGGGTTGGT
DRB1-0821 GTGAGAGTTCGTAGTACGAGGACTACAGTGGTGGGTTGGT
DRB1-1415 GTGAGAGTTCGTAGTACGAGGACTACAGTGGTGGGTTGTG
DRB1-1205 GTGAGAGTTCCTAGTTCGAGGACAACAGCGGTGGGCTGTG
DRB1-1404 GTGAGAGTTCGTAGTAGGAGGACCGGAGAGGTGGGTTGTG
DRB1-1411 GTGAGAGTTCGTAGTAGGAGGACCGGAGAGGTGGGTTGTG
DRB1-1428 GTGAGAGTTCGTAGTAGGAGGACCGGAGAGGTGGGCTGTG
DRB1-1431 GTGAGAGTTCGTAGTAGGAGGACCGGAGCGGTGGGTTGTG
DRB1-1507 GGGAGAGTCCGTAGTATGAGGACAAGGCCGGTGGGTTGTG
DRB1-1511 GGGAGAGTCCGTAGTATGAGGACAAGGCCGGTGGGTTGGT
DRB1-1605 GGGAGAGTCCGTAGTATGAGGACAACAGCGGTGGGTTGGT
DRB1-1607 GGGAGAGTCCGTAGTATGAGGACAACAGCGGTGGGTTGGT
DRB1-160201 GGGAGAGTCCGTAGTATGAGGACCACAGCGGTGGGTTGGT
DRB1-160202 GGGAGAGTCCGTAGTATGAGGACCACAGCGGTGGGTTGGT
DRB1-160101 GGGAGAGTCCGTAGTATGAGGACTACAGCGGTGGGTTGGT
DRB1-160102 GGGAGAGTCCGTAGTATGAGGACTACAGCGGTGGGTTGGT
DRB1-1603 GGGAGAGTCCGTAGTATGAGGACTACAGCGGTGGGTTGGT
DRB1-1604 GGGAGAGTCCGTAGTATGAGGACTACAGTGGTGGGTTGGT
DRB1-150104 GGGAGAGTCCGTAGTTCGAGGACAAGGCCGGTGGGTTGTG
DRB1-1512 GGGAGAGTCCGTAGTTCGAGGACAAGGCCGGTGGGTTGTG
DRB1-150202 GGGAGAGTCCGTAGTTCGAGGACAAGGCCGGTGGGTTGGT
DRB1-1510 GGGAGAGTCCGTAGTTTGAGGACAACGACGGTGGGTTGTG
DRB1-1508 GGGAGAGTCCGTAGTTTGAGAACAAGGCCGGTGGGTTGGT
DRB1-150102 GGGAGAGTCCGTAGTTTGAGGACAAGGCCGGTGAGTTGTG
DRB1-150101 GGGAGAGTCCGTAGTTTGAGGACAAGGCCGGTGGGTTGTG
DRB1-150103 GGGAGAGTCCGTAGTTTGAGGACAAGGCCGGTGGGTTGTG


DRB1-150105 GGGAGAGTCCGTAGTTTGAGGACAAGGCCGGTGGGTTGTG
DRB1-1503 GGGAGAGTCCGTAGTTTGAGGACAAGGCCGGTGGGTTGTG
DRB1-1506 GGGAGAGTCCGTAGTTTGAGGACAAGGCCGGTGGGTTGTG
DRB1-1509 GGGAGAGTCCGTAGTTTGAGGACAAGGCCGGTGGGTTGTG
DRB1-1513 GGGAGAGTCCGTAGTTTGAGGACAAGGCCGGTGGGTTGTG
DRB1-150201 GGGAGAGTCCGTAGTTTGAGGACAAGGCCGGTGGGTTGGT
DRB1-150203 GGGAGAGTCCGTAGTTTGAGGACAAGGCCGGTGGGTTGGT
DRB1-1505 GGGAGAGTCCGTAGTTTGAGGACCAGGCCGGTGGGTTGTG
DRB1-1504 GGGAGAGTCCGTAGTTTGAGGACTAGGCCGGTGGGTTGTG
DRB1-1608 GGGAGAGAACGTAGTATGAGGACTACAGCGGTGGGTTGGT
DRB1-090102 TTGAGAGAACGTAGTACGAGGACTGGAGAGGTGGGTTGGT
DRB1-0902 TTGAGAGAACGTAGTATGAGGACTGGAGAGGTGGGTTGGT
DRB1-010102 TTGAGAATCCGTAGTACGAGGACCAGAGCGGTGGGTTGGT
DRB1-0108 TTGAGAGTACGTAGTACGAGGACCAGAGCGGTGGGTTGGT
DRB1-100101 TTGAGAGTACGCAGTACGAGGACCGGAGCGGTGGGTTGGT
DRB1-100102 TTGAGAGTACGCAGTACGAGGACCGGAGCGGTGGGTTGGT
DRB1-0103 TTGAGAGTCCGTAGTACGAGGACAACGACGGTGGGTTGGT
DRB1-0110 TTGAGAGTCCGTAGTACGAGGACCAGAACGGTGGGTTGGT
DRB1-0106 TTGAGAGTCCGTAGTACGAGGACCAGGCCGGTGGGTTGTG
DRB1-0109 TTGAGAGTCCGTAGTACGAGGACCAGGCCGGTGGGTTGGT
DRB1-010202 TTGAGAGTCCGTAGTACGAGGACCAGAGCCGTGGGCTGTG
DRB1-010201 TTGAGAGTCCGTAGTACGAGGACCAGAGCGGTGGGCTGTG
DRB1-0104 TTGAGAGTCCGTAGTACGAGGACCAGAGCGGTGGGTTGTG
DRB1-010101 TTGAGAGTCCGTAGTACGAGGACCAGAGCGGTGGGTTGGT
DRB1-0105 TTGAGAGTCCGTAGTACGAGGACCAGAGCGGTGGGTTGGT
DRB1-0107 TTGAGAGTCCGTAGTACGAGGACCAGAGCGGTGGGTTGGT
DRB1-0111 TTGAGAGTCCGTAGTACGAGGACCAGAGCGGTGGGTTGGT

General strategy for medium resolution typing is described below:
For medium resolution typing a maximally informative set of marker positions were determined. These consist of positions 98, 414, 539, 282, 571, 368, 256, 292, 238, 270, 453, 527, 502, 81, 268, 559, 92, 123 and 396 of HLA-A (numbering starts at the transcription start position of exon 1), positions 539, 419, 559, 412, 272, 362, 302, 363, 206, 369, 259, 97, 583, 292, 222, 527, 418, 435 and 571 of HLA-B (numbering starts at the transcription start position of exon 1), and positions 125, 196, 197, 227, 261, 286, 299, 308, 341 and 345 of HLA-DRB1 (numbering starts at the transcription start position of exon 1).

In general, the order of the positions is from the most informative to the least informative with respect to the selection criteria of frequent and rare HLA alleles (see list of frequent HLA alleles above). Thus the ten markers (HLA-A and HLA-B) that were selected for the fine typing strategy constitute the first ten markers of the set of 19 markers for the single pass classification into frequent and rare HLA alleles (HLA-A and HLA-B). Like with sequence-based HLA typing there are heterozygous combinations of HLA alleles that can not be resolved. However, there are fewer ambiguities with this method due to the mini-haplotypes that are provided.

Another object of the present invention is the use of said methodology of the invention is for screening of tissue donors, for example, bone marrow donors in registries for frequent and rare HLA types.

The description of the HLA alleles is based on the Anthony Nolan database (www.ebi.ac.uk/imgt/hla/).

In addition to the aforementioned method, the invention includes yet other arrangements which will emerge from the description that follows, which refers to examples of supports according to the invention, as well as the annexed figures and tables, wherein:

BNSDOCID: <WO_____2005052189A2_I_>

Figure 1 describes 19 positions covered by mini-haplotyping assays for discrimination of HLA-A mapped onto the HLA-A allele A*010101 as reference. Black boxes indicate an extension position while grey boxes indicate polymorphisms that are captured by the annealing of the respective primer of the primer pool. Pools are used in forward and reverse. Numbering is according to the transcription start of the cDNA.

Figure 2 describes 19 positions covered by mini-haplotyping assays for discrimination of HLA-B mapped onto the HLA-B allele B*070201 as reference. Black boxes indicate an extension position while grey boxes indicate polymorphisms that are captured by the annealing of the respective primer of the primer pool. Pools are used in forward and reverse. Numbering is according to the transcription start of the cDNA.

Figure 3 describes 10 positions covered by mini-haplotyping assays for discrimination of HLA-DRB1 mapped onto the HLA-DRB1 allele DRB1*0101 as reference. Black boxes indicate an extension position while grey boxes indicate polymorphisms that are captured by the annealing of the respective primer of the primer pool. Pools are used in forward and reverse. Numbering is according to the transcription start of the cDNA.

Figure 4 describes 10 positions covered by mini-haplotyping assays for discrimination of HLA-A mapped onto the HLA-A allele A*010101 as reference for the distinction of subgroups that can then be further analysed. Black boxes indicate an extension position while grey boxes indicate polymorphisms that are captured by the annealing of the respective primer of the primer pool. Pools are used in forward and reverse. Numbering is according to the transcription start of the cDNA.

Figure 5 describes 10 positions covered by mini-haplotyping assays for discrimination of HLA-B mapped onto the HLA-B allele B*070201 as reference for the distinction of subgroups that can then be further analysed. Black boxes indicate

BNSDOCID: <WO_____2005052189A2_I_>

an extension position while grey boxes indicate polymorphisms that are captured by the annealing of the respective primer of the primer pool. Pools are used in forward and reverse. Numbering is according to the transcription start of the cDNA.

Figure 6 shows genotyping results of a CEPH family (1418, 01 = father, 02 = mother, 03 = child, 04 = child) for position HLA-B_272. 1407,3 Da corresponds to the addition of C to primer 6, 7, 8, or 9; 1422,3 Da corresponds to the addition of T to primer 6, 7, 8, or 9; 1431,4 Da/ 1430,9 Da corresponds to the addition of A to primer 6, 7, 8, or 9; and 1447,4 Da/ 1448,5 Da corresponds to the addition of G to primer 6, 7, 8, or 9.

Table I represents HLA-A alleles captured by the 10 markers in the different subgroups and additional positions that have to be typed to resolve the subgroups.

Table II represents HLA-B alleles captured by the 10 markers in the different subgroups and additional positions that have to be typed to resolve the subgroups.

Table III represents HLA-DRB1 alleles captured by the 10 markers in the different subgroups and additional positions that have to be typed to resolve the subgroups.

Table IV represents the list of the individual primers that are required to constitute the pools for mini-haplotyping of HLA-A (19 markers). The 10 markers required for the creation of subgroups are also contained. ^ refers to the base used to attach the mass/charge tag, CT refers to the mass difference of the mass/charge tag, sp means phosphorothioate group. The product analysed by mass spectrometry includes the base 5'of the most 5' phosphorothioate (sp).

Table V represents the list of the individual primers that are required to constitute the pools for mini-haplotyping of HLA-B (19 markers). The 10 markers required for the creation of subgroups are also contained. ^ refers to the base used to attach the mass/charge tag, CT refers to the mass difference of the mass/charge tag, sp

BNSDOCID: <WO_____2005052189A2_I_>

means phosphorothioate group. The product analysed by mass spectrometry includes the base 5'of the most 5' sp.

Table VI represents the list of the individual primers that are required to constitute the pools for mini-haplotyping of HLA-DRB1 (10 markers). ^ refers to the base used to attach the mass/charge tag, CT refers to the mass difference of the mass/charge tag, sp means phosphorothioate group. The product analysed by mass spectrometry includes the base 5'of the most 5' sp.

Table VII represents the resolution that can be generated with the 19 markers for the distinction of the frequent HLA alleles in HLA-A.

Table VIII represents the resolution that can be generated with the 19 markers for the distinction of the frequent HLA alleles in HLA-B.

Table IX represents the resolution that can be generated with the 10 markers for the distinction of the frequent HLA alleles in HLA-DRB1.

Table X represents the list of HLA-A alleles that are resolved with the 10 markers for the creation of subgroups. Each subgroup is separated by an empty line. Frequent alleles are shaded in darker grey, while lighter grey indicates the position that primers are extended onto.

Table XI represents the list of HLA-B alleles that are resolved with the 10 markers for the creation of subgroups. Each subgroup is separated by an empty line. Frequent alleles are shaded in darker grey, while lighter grey indicates the position that primers are extended onto.

Table XII represents the list of HLA-DRB1 alleles that are resolved with the 10 markers for the creation of subgroups. Each subgroup is separated by an empty line. Frequent alleles are shaded in darker grey, while lighter grey indicates the position that primers are extended onto.

BNSDOCID: <WO_____2005052189A2_I_>

Examples

Example 1: Mini-haplotyping at position 272 of HLA-B by the modified GOOD-Assay

A locus specific PCR product of exon 2 and exon 3 of HLA-B is amplified with a set of primers published by the International Histocompatibility Working Group, Technical Manuals (Hurly, Fernandes-Vina, Gao, Middleton, Noreen, Ren and Smith; www.ihwg.org/tmanual/Tmcontents.htm). The PCR product is incubated with SAP to remove all excess dNTPs. Then a single base primer extension at position 272 in the PCR amplicon is carried out. The set of primers, to generate the mini-haplotypes is shown in Table V. Thereafter a 5'phosphodiesterase digest is applied to reduce the primers to a core sequence. After alkylation of the DNA backbone of the mini-haplotype fragments the products are transferred onto a MALDI target pre-coated with matrix. Alternatively the matrix solution can be mixed with the samples and transferred onto the MALDI target to dry. The MALDI target is introduced into a MALDI mass spectrometer and analysed. The mass spectra show one or two mass peaks and that correspond to specific mini-haplotypes.

PCR:

Forward primer, BAmp1 5′-G GGT CCC AGT TCT AAA GTC CCC ACG-3′(1.875 pmol), reverse primer, BAmp2 5′-CC ATC CCC GGC GAC CTA TAG GAG ATG-3′ (1.875 pmol) an BAmp3 5'-AGG CCA TCC CGG CGG GCG ATC TAT-3' (1.875 pmol), 0.25 µl 10x PCR buffer (HiFi Platinum Taq)), 0.3 µl $MgSO_4$ (50 mM), 0.2 µl of a mix of each dCTP, dATP, dGTP and dTTP (2 mM each), 0.25U engineered DNA polymerase (HiFi Platinum DNA Polymerase; Invitrogen) and 5 ng DNA fill to 3 µl with water. Cycling: 1. 94°C 3 min, 2. 94°C 20 sec, 3. 64°C 30 sec, 4. 72°C 30 sec, steps 2 to 4 are repeated 35 times, 5. 72°C 5 min.

SAP digest:

BNSDOCID: <WO_____2005052189A2_I_>

1.75 µl of 50 mM Tris-HCl and 0.25 µl SAP (USB corporation, Cleveland, USA) are to add to the PCR product and this has to be incubated for 60 min at 37°C, followed by an incubation at 90°C for 10 min to denature the SAP enzyme.

Single Base Primer Extension:

To the SAP treated PCR product 2 µl of an extension mix is to add. This mix contains 15 mM $MgCl_2$, 0.1 mM of each of the four α–S-ddNTPs, 5 pmol of the extension primers set and 0,4 U of Thermosequenase. Cycling: 1. 94°C 2 min, 2. 94°C 15 sec, 3. 58°C 20 sec, 4. 72°C 20 sec, steps 2 to 4 are repeated 50 times.

PDE digest:

To the extension product has to be added 0.5 ul 0.5 M acetic acid and 1.5 µl PDE (5.1U) and incubate for at lease 120 min at 37 °C.

Alkylation:

The alkylation is carried out by adding 21 µl of an alkylation mix and incubate for 15 min at 40°C. Th alkylation mix contains 377 parts water free acetonitrile, 15 parts of 2M triethylamine/CO_2 (pH ~7.5), 75 parts 2mM Tris-HCl and 174 parts of methyliodine.

The alkylation is to stopped by adding 10 µl deionised water. 5 µl of the resulting upper phase are to dilute in 10 µl 40% acetonitrile.

For MALDI target preparation and measurement with the MALDI mass spectrometer 0.5 µl of the final dilution are transferred onto a MALDI target pre-coated with matrix (α-cyano-4-hydroxycinnamic acid methyl ester). Measurement was carried out in a Bruker Autoflex with typically -18 kV acceleration voltage, pulsed ion extraction with a delay of 200 ns, and detection in linear detection mode. Results for CEPH family 1418 are shown in figure 6.

Example 2: HLA-DR typing by the GOOD-Assay

BNSDOCID: <WO_____2005052189A2_I_>

A locus specific PCR for HLA-DRB is carried out. Therefore a set of allele-specific primers as listed below is used. These primers are published by J. Wu et al. in http://www.ihwg.org/tmanual/TMcontents.htm Chapter 10-B.

Name	Sequence
Amp1_DRB1_f20	5'-TTCTTGTGGSAGCTTAAGTT-3'
Amp2_DRB1_f21	5'-TTCCTGTGGCAGCCTAAGAGG-3'
Amp3_DRB1_f22	5'-CACGTTTCTTGGAGTACTCTAB-3'
Amp3-2_DRB1_f23	5'-CGTTTCTTGGAGTACTCTACGGG-3'
Amp3-3_DRB1_f23	5'-CGTTTCTTGGAGTACTCTACGTC-3'
Amp4_DRB1_f21	5'-GTTTCTTGGAGCAGGTTAAAC-3'
DR7_DRB1_f20	5'-CCTGTGGCAGGGTAARTATA-3'
DR9_DRB1_f18	5'-CCCAACCACGTTTCTTGA-3'
DR10_DRB1_f19	5'-AGACCACGTTTCTTGGAGG-3'
AmpB_DRB1_r18	5'-TCGCCGCTGCACYGTGAA-3'

This set of primers carries a high risk of co-amplifying genes for the other HLA-DRB chains, which results in unclear results. However, this is currently the best available option for the PCR of HLA-DRB1. In order to resolve the problem an additional mini-haplotyping test can be added. The mini-haplotyping assay HLA-DRB_122-126 gives good resolution of HLA-DRB genes and allows the verification of results produced for typing of HLA-DRB1 PCR products. The identification of HLA-DRB1 genes is possible, as well as the identification of other amplified HLA-DRB genes which are present is possible. The set of primers listed below is used for the primer extension reaction. The details of the protocol are identical to example 1.

Name	Sequence	CT	Masses Primer	A	C	G	T
HLADR_1221_2f20	TGAAGAAATGACACTCAspTspG*spT	0	1487,5	-	-	-	1805,7
HLADR_1222_2f20	TGCAGAAATAGCACTCGspTspG*spT	0	1503,5	-	-	-	1821,7
HLADR_1223_2f20	TGAAGAAATGACACTCAspGspG*spT	0	1512,5	-	-	-	1830,7
HLADR_1224_2f20	TGAAGAAATGACACTTAspTspA*spT	0	1471,5	-	-	-	1789,7
HLADR_1225_2f20	TGAAGAAATGACACTCCspCspT*spC	-14	1510,6	-	-	-	1814,8
HLADR_1226_2f20	TGAAGAAATRACACTCAspCspC*spC	-28	1418,4	1717,7	1693,6	1733,7	-
HLADR_1227_2f20	TGAAGAAATGACACTCAspTspA*spC	-14	1456,5	-	-	-	1760,7
HLADR_1228_2f20	TGAAGAAWTGACACTCAspGspA*spC	0	1481,5	-	-	-	1799,7
HLADR_1229_2f20	TGAGGAAATGACACTCAspCspA*spC	-14	1441,5	-	-	1770,8	1745,7
HLADR_12210_2f20	TGAAGATATGACACTCAspCspA*spC	-14	1441,5	-	-	1770,8	1745,7
HLADR_12211_2f20	TGAAGAAATGACAYTCAspAspA*spC	0	1465,5	-	-	-	1783,7

BNSDOCID: <WO_____2005052189A2_I_>

Of the thirteen possible mini-haplotypes, four represent genes other than HLA-DRB1. The mini-haplotype GTGTT (1821.7 Da), AACAC in sense direction, represents with 100% certainty co-amplification of the HLA-DRB9 gene. The mini-haplotype ATACT (1760.8 Da), AGTAT in sense direction, represent either all HLA-DRB1*07 alleles (except HLA-DRB1*070102) or co-amplification of the HLA-DRB5 gene. The type TGTGT (1745.7 Da), AGTGT in sense direction, correspond to co-amplification or all variations of the HLA-DRB4 or HLA-DRB6 genes. Finally the type AGACT (1799.7 Da), AGTCT in sense direction, represent besides HLA-DRB1*1130 and HLA-DRB1*1446 also co-amplification of all variants of HLA-DRB3 and HLA-DRB7 genes.

BNSDOCID: <WO_____2005052189A2_I_>

Claims

1. Method for HLA typing by the unambiguous determination of short DNA sequence elements (2-6 bases) at a given position simultaneously on both parental alleles at a selected number of positions in HLA genes, comprised of the steps for each position of a) hybridising a combination of oligonucleotides (primers) complementary to all known sequence variants to a DNA strand upstream of a given position; b) carrying out a primer extension reaction with at least one of the four dNTP substrates substituted by a terminating analog; c) analysing the products by mass spectrometry, with the resulting masses allowing unambiguous identification of the used primers and the added bases.
2. Method according to claim 1 where the DNA strand of step a) is produced by a DNA replication procedure such as PCR or rolling circle replication.
3. Method according to claim 1 where the combination of primers has slightly varying sequences so that all sequences of the haplotypes are represented by a perfectly matching primer.
4. Method according to claim 3 where mass shifting tags are added to the individual primers sequences to make them uniquely distinguishable once the terminating base is added.
5. Method according to claim 1 where distinguishable termination products for known alleles are generated by extending the perfectly hybridised primer with a combination of dNTPs and ddNTPs or analogs thereof with a DNA polymerase to generate specific termination products.
6. Method according to claim 1 where the GOOD assay is used.
7. Method according to any of the precedent claims where mass spectrometry, in particular MALDI or ESI mass spectrometry is used for analysis of the masses of products.
8. Method for HLA typing according to any of the precedent claims above where set of multiple selected positions are queried to achieve sufficient information content.
9. Method for HLA typing of HLA-A according to claims 1-8 where assays of the positions 98, 414, 539, 282, 571, 368, 256, 292, 238, 270, 453, 527, 502, 81,

BNSDOCID: <WO_____2005052189A2_I_>

268, 559, 92, 123 and 396 (according to the numbering of the HLA-A gene starting at cDNA sequence position 1 of exon 1) are used to achieve medium resolution.

10. Method for HLA typing of HLA-B according to claims 1-8 where assays of the positions: 539, 419, 559, 412, 272, 362, 302, 363, 206, 369, 259, 97, 583, 292, 222, 527, 418, 435 and 571 (according to the numbering of the HLA-B gene starting at cDNA sequence position 1 of exon 1) are used to achieve medium resolution.

11. Method for HLA typing of HLA-DRB1 according to claims 1-8 where assays of the positions 125, 196, 197, 227, 261, 286, 299, 308, 341 and 345 (according to the numbering of the HLA-DRB1 gene starting at cDNA sequence position 1 of exon 1) are used to achieve medium resolution.

12. Method for HLA typing of HLA-A according to claims 1-8 where assays of the positions 98, 414, 539, 282, 571, 368, 256, 292, 238 and 270 (according to the numbering of the HLA-B gene starting at cDNA sequence position 1 of exon 1) are used to generate subgroups A-O.

13. Method for HLA typing according to claim 12 where assays of the positions 224, 268, 376, 502, 561 and 616 are preferably analysed to resolve subgroup HLA-A_A; positions 126 and 526 to resolve subgroup HLA-A_B; positions 81, 90, 92, 212, 214, 257, 265, 299, 302, 404, 420, 427, 453, 485, 489 and 502 to resolve subgroup HLA-A_C; positions 160, 200, 362 and 524 to resolve subgroup HLA-A_D; positions 180, 299, 301, 302, 346, 418, 453, 517, 524, 526, 527, 557, 559 and 560 to resolve subgroup HLA-A_E; positions 299, 301, 302, 341 and 583 to resolve subgroup HLA-A_F; positions 127, 341, 399, 480, 502, 503, 524, 526, 527, 553, 559, 560 and 565 to resolve subgroup HLA-A_G; positions 228, 233, 463, 519, 530 and 583 to resolve subgroup HLA-A_H; positions 102, 275, 317, 362, 418, 419, 497, 524, 555, 595 and 618 to resolve subgroup HLA-A_I; positions 92, 331, 453, 524, 559, 560 and 564 to resolve subgroup HLA-A_J; positions 78, 81, 123, 125, 142, 144, 194, 268, 294, 324, 355, 362, 396, 403, 419, 453, 456, 477, 493, 517, 524, 526, 527, 559 and 560 to resolve subgroup HLA-A_K; positions 113, 299, 301, 302, 308, 311, 523, 524 to resolve subgroup HLA-A_L; positions 171, 363, 498 and 559 to resolve

BNSDOCID: <WO_____2005052189A2_I_>

subgroup HLA-A_M; positions 376, 426, 527, 555, 557 and 595 to resolve subgroup HLA-A_N; position 299 to resolve subgroup HLA-A_O are used.

14. Method for HLA typing of HLA-B according to claims 1-8 where assays of the positions 539, 419, 559, 412, 272, 362, 302, 363, 206 and 369 (according to the numbering of the HLA-B gene starting at DNA sequence position 1 of exon 1) are used to generate subgroups A-AC.

15. Method for HLA typing according to claim 14 where assays of the positions 259, 341 and 473 are preferably analyzed to resolve subgroup HLA-B_A; positions 106, 144, 222, 259, 273, 311, 313, 418, 445, 493, 528 and 540 to resolve subgroup HLA-B_B; positions 319, 416, 545 and 572 to resolve subgroup HLA-B_C; positions 106, 131, 165, 215, 243, 277, 292, 322, 481, 582, 603 and 616 to resolve subgroup HLA-B_D; positions 106, 146, 165, 181, 238, 259, 263, 292, 328.1/329, 379, 435, 453, 463, 485, 526, 571, 572 and 583 to resolve subgroup HLA-B_E; positions 142, 171, 255, 257, 395, 430, 544, 566 and 572 to resolve subgroup HLA-B_F; positions 117, 247, 248, 277, 345, 418, 489 and 527 to resolve subgroup HLA-B_G; positions 134, 141, 200, 213, 259, 304 and 527 to resolve subgroup HLA-B_H; positions 83, 141, 211, 222, 242, 322, 404, 414, 435, 463, 502, 527, 544, 571, 572 and 583 to resolve subgroup HLA-B_I; positions 103, 142, 222, 243, 259, 292, 477, 486 and 499 to resolve subgroup HLA-B_J; positions 103, 259, 292, 295, 527 and 583 to resolve subgroup HLA-B_K; positions 320 and 500 to resolve subgroup HLA-B_L; positions 311, 527 and 583 to resolve subgroup HLA-B_M; positions 119, 292, 259, 319, 425, 527, 546 and 583 to resolve subgroup HLA-B_N; positions 97, 142, 245 and 527 to resolve subgroup HLA-B_O; positions 97 and 175 to resolve subgroup HLA-B_P; positions 246 and 277 to resolve subgroup HLA-B_Q; positions 246, 292, 311 and 503 to resolve subgroup HLA-B_R; positions 103, 261, 309, 311 and 474 to resolve subgroup HLA-B_S; positions 97, 103, 106, 243, 259, 292, 404 and 524 to resolve subgroup HLA-B_T; positions 259 and 320 to resolve subgroup HLA-B_U; position 106 to resolve HLA-B_V; positions 97 to resolve HLA-B_W; positions 97, 106, 257, 418 and 463 to resolve HLA-B_X; position 106 to resolve HLA-B_Y; positions 106 and 144 to resolve HLA-B_Z; positions 117, 247, 248, 283, 345, 418, 489, and 527 to

BNSDOCID: <WO_____2005052189A2_I_>

resolve HLA-B_AA; positions 106 to resolve HLA-B_AB; positions 548 to resolve HLA-B_AC .

16. Method of HLA typing according to claim 11 to resolve subgroups A-P of HLA-DRB1.

17. Method for HLA typing according to claim 16 where assays of the positions 123, 174, 250, 278 and 317 are analysed to resolve subgroup HLA-DRB1_A; positions 192, 203, 256 and 259 to resolve subgroup HLA-DRB1_B; 256, 260, 317 and 351 to resolve subgroup HLA-DRB1_C; positions 155, 204, 233, 239, 256, 304, 357 and 366 to resolve subgroup HLA-DRB1_D; positions 122, 171, 257 and 317 to resolve subgroup HLA-DRB1_E; positions 164, 167, 171, 230, 235, 306, 317, 321 and 337 to resolve subgroup HLA-DRB1_F; positions 164, 257, 266 and 303 to resolve subgroup HLA-DRB1_G; positions 164, 181, 188, 220, 229, 256, 266, 317 and 318 to resolve subgroup HLA-DRB1_H; position 257 to resolve subgroup HLA-DRB1_I; positions 181, 239 and 357 to resolve subgroup HLA-DRB1_J; positions 122, 144, 239, 303, 317, 318 and 321 to resolve subgroup HLA-DRB1_K; positions 118, 161, 257, 260, 318 and 321 to resolve subgroup HLA-DRB1_L; positions 165, 257, 293 and 303 to resolve subgroup HLA-DRB1_M; positions 177, 240, 256, 257 and 357 to resolve subgroup HLA-DRB1_N; positions 150 175, 230, 236 and 321 to resolve subgroup HLA-DRB1_O; positions 115, 220 and 317 to resolve subgroup HLA-DRB1_P are used.

18. Kit for the implementation of the procedure according to claims 1 - 17 comprising pools of primers.

19. Use of the method according to claims 1-17 for screening of tissue donors.

20. Use according to claim 19 for bone marrow donors in registries for screening of frequent and rare HLA types.

21. Use of the primers represented in Table IV, V and VI to carry out HLA typing.

BNSDOCID: <WO_____2005052189A2_I_>

BNSDOCID: <WO_____2005052189A2_I_>



FIGURE 1

BNSDOCID: <WO_____2005052189A2_I_>



FIGURE 2

WO 2005/052189 PCT/IB2004/004115

EPNSDOCID: <WO_____2005052189A2_I_>



FIGURE 3

BNSDOCID: <WO_____2005052189A2_I_>

FIGURE 4



FIGURE 5

WO 2005/052189 PCT/IB2004/004115

BNSDOCID: <WO 2005052189A2_I_>



FIGURE 6

BNSDOCID: <WO_____2005052189A2_I_>

SEQUENCE LISTING

<110> CONSORTIUM NATIONAL DE RECHERCHE EN GENOMIQUE (CNRG)

<120> METHOD FOR HLA TYPING

<130> D21807

<140> EP 03/292 952
<141> 2003-11-27

<160> 243

<170> PatentIn version 3.2

<210> 1
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 1
tgctcgcccc caggctccca 20

<210> 2
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 2
tgctcgcccc caggctctca 20

<210> 3
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 3
aggctcccac tccatgagct 20

<210> 4
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 4
aggctcccam tccatgaggt 20

<210> 5
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>

<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 5
aggctctcas tccatgaggt 20

<210> 6
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 6
ccactccatg aggtatttca 20

<210> 7
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 7
ccactccatg aggtatttct 20

<210> 8
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 8
gcgatgaagc ggggctcctc 20

<210> 9
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 9
gcgatgaagc ggggctctcc 20

<210> 10
<211> 20
<212> DNA

<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 10
gcgatgaagc ggggcttccc 20

<210> 11
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 11
gmgatgaagc ggggctcccc 20

<210> 12
<211> 20
<212> DNA
<213> Artificial

<220>

<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 12
ctsgtcccaa tactccggac 20

<210> 13
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 13
cycgtcccaa tactccggac 20

<210> 14
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 14
ctcgtcccaa tactccggct 20

<210> 15
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 15
ctsgtcccaa tactcaggcc 20

<210> 16
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base

<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 16
cyggtcccaa tactccggcc 20

<210> 17
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 17
cmggtcccaa tactccggcc 20

<210> 18
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 18
cycgtcccaa tactccggcc 20

<210> 19
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 19
cttcatattc cgtgtctcct 20

<210> 20
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 20
cttcacwttc cgtgtctcct 20

<210> 21
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 21
cttcacatkc cgtgtctgca 20

<210> 22
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 22
cttcactttc cgtgtgttcc 20

<210> 23
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base

<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 23
cytcacattc cgtgtgttcc 20

<210> 24
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 24
cttcacrttc cgtgtctccc 20

<210> 25
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 25
cttcasttgc cgtgtctccc 20

<210> 26
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 26
cttcagttkc cgtgtctccc 20

<210> 27
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 27
attgggaccg gaacacacgg 20

<210> 28
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)

<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 28
attgggacct gcagacacgg 20

<210> 29
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 29
attgggacsa ggagacacgg 20

<210> 30
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 30
attgggacsg ggagacacgg 20

<210> 31
<211> 20

<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 31
attgggacsa ggagacaggg 20

<210> 32
<211> 18
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(18)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<400> 32
ctgtgagtgg gccttcat 18

<210> 33
<211> 18
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(18)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<400> 33
ctgtgactgg gccytcac 18

<210> 34
<211> 18
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(18)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<400> 34
ctgtgagtgg sccttcac 18

<210> 35
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 35
acacggaatg tgargggcca 20

<210> 36
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 36
acasggaaag tgaaggccca 20

<210> 37
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 37
acacggcawg tgaaggccca 20

<210> 38
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base

<222> (20)..(20)
<223> phosphorothioate group

<400> 38
acacggaacg tgaaggccca 20

<210> 39
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 39
acacggaatr tgaaggccca 20

<210> 40
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 40
tgaaggccca ctcacagagt 20

<210> 41

<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 41
tgaaggccca ctcacaggct 20

<210> 42
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 42
tgaaggscca ctcacagatt 20

<210> 43
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 43
tgarggccca gtcacagact 20

<210> 44
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 44
tgaaggccca stcacagact 20

<210> 45
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source

<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 45
tcacaccatc cagataatgc 20

<210> 46
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 46
tcacaccatc cagmtaatgt 20

<210> 47
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 47
tcacaccstc cagaggatgt 20

<210> 48
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 48
tcacaccvtc cagatgatgt 20

<210> 49
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 49
gctggtaccc gcggaggag 19

<210> 50
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 50
gccggtaccc gcggagtaa 19

<210> 51
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 51
ggtggtaccc gygcaggaa 19

<210> 52
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source

<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 52
ggtggtaccc gcagaggaa 19

<210> 53
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 53
gttcataccc gcggaggaa 19

<210> 54
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 54
gstggtaccc gcggaggaa 19

<210> 55
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 55
gccggtaccc gcggaggaa 19

<210> 56
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base

<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 56
cgcttcctcc gcgggtatga 20

<210> 57
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 57
cgcttcctct gcgggtacca 20

<210> 58
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 58
cgcttcctgc gcgggtacca 20

<210> 59

<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 59
cgcttcctcc acgggtacca 20

<210> 60
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 60
cgmttcctcc gcgggtacca 20

<210> 61
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 61
cgcctcctcc gcgggtacca 20

<210> 62
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 62
cacttcctcc gcgggtaccg 20

<210> 63
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 63
cgcttmctcc gcgggtaccg 20

<210> 64
<211> 20
<212> DNA

<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 64
gtccaagagc gcaggtcttc 20

<210> 65
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 65
gtccaagagc gcaggtcctc 20

<210> 66
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>

<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 66
gtccaggagc tcaggtcctc 20

<210> 67
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 67
ggccgyctcc cacttgtgct 20

<210> 68
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 68
ggcygcctcc cacttgcgct 20

<210> 69
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 69
cggagtctcc cacttgcgct 20

<210> 70
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 70
ggccgcctcc cacttgcgcc 20

<210> 71
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 71
agtgggagac tccgcccatg 20

<210> 72
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 72
caagtgggag gcggyccatg 20

<210> 73
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>

<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 73
caagtgggag rcggcccatg 20

<210> 74
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 74
caagtgggag gcggcccttg 20

<210> 75
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 75
caagtgggag gcggcccgtt 20

<210> 76
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 76
caagtgggag gcggcccgtc 20

<210> 77
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 77
caagtgggag gcggccmgtg 20

<210> 78
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)

BNSDOCID: <WO_____2005052189A2_I_>

<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 78
caagtgggag gcrgcccgtg 20

<210> 79
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 79
gcccrtgagg cggagcagc 19

<210> 80
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 80
gyccatgcgg cggagcagc 19

<210> 81
<211> 19

<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 81
gcccgtcggg cggagcagc 19

<210> 82
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 82
gcccatgtgg cggagcagc 19

<210> 83
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 83
gtccatgcgg cggagcagt 19

<210> 84
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 84
gcccgtyggg cggagcagt 19

<210> 85
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 85
gcccatgagg cggagcagt 19

<210> 86
<211> 19
<212> DNA
<213> Artificial

BNSDOCID: <WO_____2005052189A2_I_>

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 86
gcccwtgtgg cggagcagt 19

<210> 87
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 87
gccmgtgtgg cggagcagt 19

<210> 88
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>

<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 88
gcggagccac tccacgcact 20

<210> 89
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 89
gcggagcccg tccacgcact 20

<210> 90
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 90
gcggagccac tccacgcaca 20

<210> 91
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 91
gcggagcccg tccactcacg 20

<210> 92
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 92
gcggagccag tccacgcacg 20

<210> 93
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)

<223> phosphorothioate group

<400> 93
gcggagccmg tccacgcacg 20

<210> 94
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 94
gcggagccac tccacgcacc 20

<210> 95
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 95
gcggagcccg tccacgcacc 20

<210> 96
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source

<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 96
tggagggcck gtgcgtggag 20

<210> 97
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 97
tggagggyga gtgcgtggag 20

<210> 98
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 98
tgsagggccg gtgcgtggag 20

<210> 99
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 99
tggatgscac gtgcgtggag 20

<210> 100
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)

<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 100
tggagggcac stgcgtggag 20

<210> 101
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 101
tggagggcac gtgmgtggac 20

<210> 102
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>

<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 102
tggagggcyg gtgcgtggac 20

<210> 103
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 103
cccactccat gaggcatttc 20

<210> 104
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

BNSDOCID: <WO_____2005052189A2_I_>

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 104
cccactycat gaggtatttc 20

<210> 105
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 105
cgacgccgcg agtcmgagga 20

<210> 106
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base

<222> (20)..(20)
<223> phosphorothioate group

<400> 106
cgacgccacg agtccgagga 20

<210> 107
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 107
cgacgccgcg agtccragag 20

<210> 108
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 108
cgacgccrcg agtccgagag 20

<210> 109
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 109
gcccctcctg ctccaccca 19

<210> 110
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 110
gcccctcytg ctctatcca 19

<210> 111
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 111
ggccggagta ttgggacggg 20

<210> 112
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 112
ggccggagta ttgggacgag 20

<210> 113
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base

<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 113
ggccggagta ttgggacccg 20

<210> 114
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 114
ggccggagta ttgggatcgg 20

<210> 115
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 115
ggccggagtt ttgggaccgg 20

<210> 116
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 116
ggccggagca ttgggaccgg 20

<210> 117
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)

<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 117
ggccgggata ttgggaccgg 20

<210> 118
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 118
ggccrgaata ttgggaccgg 20

<210> 119
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>

<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 119
ggcgggmgta ttgggaccgg 20

<210> 120
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 120
ggccttagta ttgggaccgg 20

<210> 121
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 121
ggacsgggag acacggaaca 20

<210> 122
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 122
ggacgrggag acacggaaca 20

<210> 123
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 123
ggaccggaac acacagaact 20

<210> 124
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)

<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 124
ggaccggaac acacagacct 20

<210> 125
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 125
ggaccgggag acacagaagt 20

<210> 126
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 126
ggaccgggag atacagatct 20

<210> 127
<211> 20

<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 127
ggaccgggas acacagatct 20

<210> 128
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 128
ggaccgggac acacagatct 20

<210> 129
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 129
ggaccsggag acacagatct 20

<210> 130
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 130
caagaccaac acacaggct 19

<210> 131
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)

<223> phosphorothioate group

<400> 131
caagscccag gcacaggct 19

<210> 132
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 132
caagaccaac acacggact 19

<210> 133
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 133

gaaggcctcc gcgcagact 19

<210> 134
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 134
caaggccmag gcacagact 19

<210> 135
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 135
caagsgccag gcacagact 19

<210> 136
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 136
gaagaccaac acacagact 19

<210> 137
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 137
gcacagactg accgagtgg 19

<210> 138
<211> 19
<212> DNA

<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 138
acacagactt acagagaga 19

<210> 139
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 139
acacagactt accgagagg 19

<210> 140
<211> 19
<212> DNA
<213> Artificial

<220>

<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 140
rcacagactg accgagagg 19

<210> 141
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 141
gcacagactg gccgagtga 19

<210> 142
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 142
acacagactt accgagtga 19

<210> 143
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 143
rcacagactg accgagtga 19

<210> 144
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base

<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 144
acacaggctg accgagaga 19

<210> 145
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 145
rcacagactg accgagaga 19

<210> 146
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 146
gcrcagactt accgagaga 19

<210> 147
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (17)..(17)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 147
acacrgactt accgagaga 19

<210> 148
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)

<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 148
cgggtctcac accctccaca 20

<210> 149
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 149
cgggtctcac aycatccaga 20

<210> 150
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>

<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 150
cggktctcac accctccaga 20

<210> 151
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 151
cgggtctcac acttggcaga 20

<210> 152
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 152
cgggtctcac atcatccagg 20

<210> 153
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 153
cgggtctcac accctccagt 20

<210> 154
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 154
cccasgtcgc agccgtacat 20

<210> 155
<211> 20
<212> DNA

<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 155
cccabgtcgc agccatacat 20

<210> 156
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 156
cccasgtcgc agccaaacat 20

<210> 157
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>

<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 157
cccacgtcgc agccagacat 20

<210> 158
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 158
cccacgtcgc agccgcacat 20

<210> 159
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 159
cccacgtcgc agccttacat 20

<210> 160
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 160
cccacgtcgc agccgtacgt 20

<210> 161
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 161
tccggcccca kgtcgcagcc 20

<210> 162
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)

<223> phosphorothioate group

<400> 162
tcgggcccca sgtcgcagcc 20

<210> 163
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 163
ggcgcctcct ccgcgggtac 20

<210> 164
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 164

ggcgcctcct ccscgggcat 20

<210> 165
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 165
ggcgcytcct ccgcgggcat 20

<210> 166
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 166
ggcgtctcct ccgcggttat 20

<210> 167
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 167
ggcgcctcct ccgcgggtat 20

<210> 168
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 168
tcctccgcgg gtatgaacag 20

<210> 169
<211> 20
<212> DNA

<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 169
tcctccacgg gtaccaccag 20

<210> 170
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 170
tcctgcgcgg gtaccaccag 20

<210> 171
<211> 20
<212> DNA
<213> Artificial

<220>

<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 171
tcctccgcgg gtaccaccag 20

<210> 172
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 172
tcctctgcgg gtaccaccag 20

<210> 173
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 173
tcctccgcgg gtaccagcag 20

<210> 174
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 174
tmctccgcgg gtaccggcag 20

<210> 175
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>

<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 175
tcctccgcgg gtaccagcgg 20

<210> 176
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 176
aatccttgcc gtcgtaggct 20

<210> 177
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)

<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 177
aatccttgcc gtcgtaggca 20

<210> 178
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 178
aattcttgcc gtcgtaggcg 20

<210> 179
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>

<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 179
aatctttgcc gtcgtaggcg 20

<210> 180
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 180
aatccttgcc gtcgyaggcg 20

<210> 181
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)

<223> phosphorothioate group

<400> 181
tcmttcaggg cgatgtaatc 20

<210> 182
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 182
tcgttcaggg cgatgtaatt 20

<210> 183
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 183
caagtgggag gcggcccttg 20

<210> 184
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source

<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 184
caagtkggag gcggcccgtg 20

<210> 185
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 185
ggcccgtgyg gcggagcagc 20

<210> 186
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 186
ggcccgtgtc gcggagcagg 20

<210> 187
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 187
ggcccgtgwg gcggagcagg 20

<210> 188
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 188
ggcccgtgag gcggagcagt 20

<210> 189
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 189
gcggagcgac tccacgcact 20

<210> 190
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 190

gcggagccac tccacgcact 20

<210> 191
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 191

gcggagccaa tccacgcact 20

<210> 192
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 192
gcggagccac tccacgcacg 20

<210> 193
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 193
gcggagcgac tccrcgcaca 20

<210> 194
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

BNSDOCID: <WO_____2005052189A2_I_>

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 194
gcggagcsac tccacgcaca 20

<210> 195
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 195
gcggagcccg tccacgcaca 20

<210> 196
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 196
ctccaggtay ctgcggagcg 20

<210> 197
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 197
ctccaggtrt ctgcggagcc 20

<210> 198
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 198
acctggagaa cgggaagga 19

<210> 199
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base

BNSDOCID: <WO_____2005052189A2_I_>

<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 199
cattgaagaa atgacactcc 20

<210> 200
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 200
cgttgaagaa atgacactta 20

<210> 201
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 201
cattgaagaa atgacattca 20

<210> 202

<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 202
cattgaagaa wtaacactca 20

<210> 203
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 203
crttgaagaa atgacactca 20

<210> 204
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 204
catctataac caagaggaa 19

<210> 205
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 205
cttctatcac caagargag 19

<210> 206
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 206
cttctataat cargaggag 19

<210> 207
<211> 19
<212> DNA

<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 207
cgtccataac caagaggag 19

<210> 208
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 208
catctataac caagaggag 19

<210> 209
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>

<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 209
cttccataac crggaggag 19

<210> 210
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 210
cttcgataac caggaggag 19

<210> 211
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 211
cttctataac ctggaggag 19

<210> 212
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 212
cgtcgctgtc gaagcgcagg 20

<210> 213
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 213
cgtcgctgtc gtagcgcgcg 20

<210> 214
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)

<223> phosphorothioate group

<400> 214
cgtcgctgtc gaagcgcaag 20

<210> 215
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 215
cgtcgctgtc gaagygcacg 20

<210> 216
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 216
cgtcgctgtc gaascgcacg 20

<210> 217
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source

<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 217
cgacagcgac gtgggggact 20

<210> 218
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 218
cgacagcgac gtgvgggagt 20

<210> 219
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 219
ttctggctgt tccagtactg 20

<210> 220
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 220
ttctggctgt tccagtaccc 20

<210> 221
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 221
ttctggctgt tccagtagtc 20

<210> 222
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 222
ttctggctgt tccagtrctc 20

<210> 223
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 223
ttcyggctgt tccaggactc 20

<210> 224
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 224
ctggaacagc cagaagaac 19

<210> 225
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 225
ctggaacagc crgaaggac 19

<210> 226
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 226
gaaggachtc ctggagcagg 20

<210> 227
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>

<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 227
gaaggacatc ctgggagaca 20

<210> 228
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 228
gaaggacatc ctggargaca 20

<210> 229
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 229
gaaggacytc ctggaagaca 20

<210> 230
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 230
gaaggacatc ctggagcaga 20

<210> 231
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 231
gaaggachtc ctggagcgga 20

<210> 232
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)

<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 232
gaaggachtc ctggaagacg 20

<210> 233
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 233
gtctgcaata ggtgtccacg 20

<210> 234
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 234
gtctgcarta ggcgtccacc 20

<210> 235
<211> 20

<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 235
gtctgcagta attgtccacc 20

<210> 236
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 236
gtctgcacac ggtgtccacc 20

<210> 237
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 237
gtctgcagta ggtgtccacc 20

<210> 238
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 238
gtctgcaata ggtgtccacc 20

<210> 239
<211> 19
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(19)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (18)..(18)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<400> 239
tgcagacaca actacsggg 19

<210> 240
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 240
cgctgcactg tgaatctctc 20

<210> 241
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 241
ctctgcactg tgaagctctc 20

<210> 242
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base

<222> (20)..(20)
<223> phosphorothioate group

<400> 242
cgctgcacyg tgaagctctc 20

<210> 243
<211> 20
<212> DNA
<213> Artificial

<220>
<221> Source
<222> (1)..(20)
<223> /note="Description of artificial sequence: primer"

<220>
<221> modified_base
<222> (19)..(19)
<223> phosphorothioate group

<220>
<221> modified_base
<222> (20)..(20)
<223> phosphorothioate group

<400> 243
gcggagccac tccacgcagg 20

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
9 June 2005 (09.06.2005)

PCT

(10) International Publication Number
WO 2005/052189 A3

(51) International Patent Classification[7]: C12Q 1/68

(21) International Application Number:
PCT/IB2004/004115

(22) International Filing Date:
26 November 2004 (26.11.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
03292952.3 27 November 2003 (27.11.2003) EP

(71) Applicant *(for all designated States except US)*: **CONSORTIUM NATIONAL DE RECHERCHE EN GENOMIQUE (CNRG)** [FR/FR]; 2, rue Gaston Crémieux, F-91000 Evry (FR).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: **GUT, Ivo, Glynne** [GB/FR]; 18, rue du Moulin Vert, F-75014 Paris (FR). **KUCHARZAK, Ramon** [FR/FR]; 56, rue Olivier Metra, F-75020 Paris (FR).

(74) Agents: **MARTIN, Jean-Jacques** et al.; Cabinet Regimbeau, 20, rue de Chazelles, F-75847 Paris Cedex 17 (FR).

(81) Designated States *(unless otherwise indicated, for every kind of national protection available)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States *(unless otherwise indicated, for every kind of regional protection available)*: ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— *with international search report*

(88) Date of publication of the international search report:
20 October 2005

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 2005/052189 A3

(54) Title: METHOD FOR HLA TYPING

(57) Abstract: A method for the identification of DNA sequence elements in complex and highly variable sequences is described. The method consists of identifying a short sequence element of several DNA bases (2-6 bases) at a given position in the genome simultaneously on all parental alleles. The method allows differentiating mini-haplotypes on different alleles in one analysis. The method consists of carrying out an enzymatic primer extension reaction with a combination of extension primers (pool of primers) and analysing the products by mass spectrometry. The pool of primers is assembled in such a way that the primer extension product allows unambiguous identification of both the primer of the pool that was extended and the base that was added. The method is of great utility for DNA sequences harbouring many SNPs close to each other with many possible haplotypes. Such sequences are known in the Major Histocompatibility Complex (MHC). This method is particularly well suited for DNA-based HLA typing and in combination with a suitable selection of sites tested, it is superior in ease of operation to conventional HLA typing methods. We have identified sets of these assays for HLA-A, HLA-B, and HLA-DRB 1 that allow unambiguous four-digit HLA of each of these genes with between 11 and 28 queried markers.

BNSDOCID: <WO_____2005052189A3_I_>

INTERNATIONAL SEARCH REPORT

International Application No
PCT/IB2004/004115

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 C12Q1/68

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)
EPO-Internal, WPI Data, PAJ, BIOSIS, EMBASE, CHEM ABS Data, EMBL

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	PASTINEN T ET AL: "Multiplex, fluorescent, solid-phase minisequencing for efficient screening of DNA sequence variation" CLINICAL CHEMISTRY, AMERICAN ASSOCIATION FOR CLINICAL CHEMISTRY. WINSTON, US, vol. 42, no. 9, 1996, pages 1391-1397, XP002126144 ISSN: 0009-9147	18
Y	page 1392, left-hand column; table 1	1-8,19, 20
X	WO 00/65088 A (AMERSHAM PHARM BIOTECH AB ; ULFENDAHL PER JOHAN (SE); WONG KIN CHUN (S) 2 November 2000 (2000-11-02) claims 12,14,21	18
Y	the whole document	1-8,19, 20

-/--

[X] Further documents are listed in the continuation of box C.

[X] Patent family members are listed in annex.

° Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
11 March 2005	11. 07. 2005

Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Hagenmaier, S

Form PCT/ISA/210 (second sheet) (January 2004)

BNSDOCID: <WO_____2005052189A3_I_>

INTERNATIONAL SEARCH REPORT

Internal Application No
PCT/IB2004/004115

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WORRALL T A ET AL: "Allele-specific HLA-DR typing by mass spectrometry: an alternative to hybridization-based typing methods." ANALYTICAL CHEMISTRY. 1 NOV 2000, vol. 72, no. 21, 1 November 2000 (2000-11-01), pages 5233-5238, XP002287583 ISSN: 0003-2700	1-8, 18-20
A	the whole document	9,12,13
Y	LEUSHNER JAMES ET AL: "Automated mass spectroscopic platform for high throughput DR Beta typing" HUMAN IMMUNOLOGY, vol. 61, no. Supplement 2, 2000, page S126, XP008032510 & 26TH ANNUAL MEETING OF THE AMERICAN SOCIETY FOR HISTOCOMPATIBILITY AND IMMUNOGENETICS; LAKE BUENA VISTA, FLORIDA, USA; OCTOBER 10-14, 2000 ISSN: 0198-8859	1-8, 18-20
A	abstract	9,12,13
Y	TOST J ET AL: "GENOTYPING SINGLE NUCLEOTIDE POLYMORPHISMS BY MASS SPECTROMETRY" MASS SPECTROMETRY REVIEWS, JOHN WILEY AND SONS, NEW YORK, NY, US, vol. 21, no. 6, November 2002 (2002-11), pages 388-418, XP009019382 ISSN: 0022-7037	1-8, 18-20
A	the whole document	9,12,13
Y	TOST JÖRG ET AL: "Molecular haplotyping at high throughput." NUCLEIC ACIDS RESEARCH. 1 OCT 2002, vol. 30, no. 19, 1 October 2002 (2002-10-01), page e96, XP002287584 ISSN: 1362-4962	1-8, 18-20
A	the whole document	9,12,13
Y	SAUER S ET AL: "EXTENSION OF THE GOOD ASSAY FOR GENOTYPING SINGLE NUCLEOTIDE POLYMORPHISMS BY MATRIX-ASSISTED LASER DESORPTION/IONIZATION MASS SPECTROMETRY" RAPID COMMUNICATIONS IN MASS SPECTROMETRY, HEYDEN, LONDON, GB, vol. 17, no. 12, 9 May 2003 (2003-05-09), pages 1265-1272, XP009019406 ISSN: 0951-4198	1-8, 18-20
A	the whole document	9,12,13

-/--

BNSDOCID: <WO_____2005052189A3_I_>

INTERNATIONAL SEARCH REPORT

International Application No
PCT/IB2004/004115

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	SAUER SASCHA ET AL: "Genotyping single-nucleotide polymorphisms by matrix-assisted laser-desorption/ionization time-of-flight mass spectrometry." JOURNAL OF CHROMATOGRAPHY. B, ANALYTICAL TECHNOLOGIES IN THE BIOMEDICAL AND LIFE SCIENCES. 25 DEC 2002, vol. 782, no. 1-2, 25 December 2002 (2002-12-25), pages 73-87, XP002287585 ISSN: 1570-0232	1-8, 18-20
A	the whole document	9,12,13
Y	WO 02/08462 A (LECHNER DORIS ; GUT IVO GLYNNE (FR); CT NAT DE GENOTYPAGE (FR)) 31 January 2002 (2002-01-31)	1-8, 18-20
A	the whole document	9,12,13
Y	ROZEMULLER: "Reference panels for sequence based typing: Selection criteria for HLA-A and HLA-B" 2000, , XP002287586 ISBN: 0-945278-02-0 Retrieved from the Internet: URL:http://www.ihwg.org/tmanual/TMcontents.htm> 'retrieved on 2004-07-05!	1-8, 18-20
A	Chapter 1-B	9,12,13
Y	WO 02/18659 A (HAPLOGEN LLC ; LIU XIANGJUN (US)) 7 March 2002 (2002-03-07)	1-8, 18-20
A	the whole document	9,12,13
Y	US 5 451 512 A (APPLE RAYMOND J ET AL) 19 September 1995 (1995-09-19)	1-8, 18-20
A	the whole document	9,12,13

BNSDOCID: <WO_____2005052189A3_I_>

INTERNATIONAL SEARCH REPORT

International application No.
PCT/IB2004/004115

Box No. I Nucleotide and/or amino acid sequence(s) (Continuation of item 1.b of the first sheet)

1. With regard to any nucleotide and/or amino acid sequence disclosed in the international application and necessary to the claimed invention, the international search was carried out on the basis of:

   a. type of material

   [X] a sequence listing

   [ ] table(s) related to the sequence listing

   b. format of material

   [X] in written format

   [X] in computer readable form

   c. time of filing/furnishing

   [X] contained in the international application as filed

   [X] filed together with the international application in computer readable form

   [ ] furnished subsequently to this Authority for the purpose of search

2. [ ] In addition, in the case that more than one version or copy of a sequence listing and/or table relating thereto has been filed or furnished, the required statements that the information in the subsequent or additional copies is identical to that in the application as filed or does not go beyond the application as filed, as appropriate, were furnished.

3. Additional comments:

BNSDOCID: <WO_____2005052189A3_I_>

INTERNATIONAL SEARCH REPORT

International application No.
PCT/IB2004/004115

Box II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:

3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box III Observations where unity of invention is lacking (Continuation of item 3 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.

2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.

3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:

4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

claims 1-8, 18-20 (all partially), 9, 12, 13 (completely)

Remark on Protest

☐ The additional search fees were accompanied by the applicant's protest.

☐ No protest accompanied the payment of additional search fees.

BNSDOCID: <WO_____2005052189A3_I_>

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

Invention 1 : claims 1-8, 18-20 (all partially), 9,12,13 (completely)

Method for HLA typing of HLA-A by the unambiguous determination of short DNA sequence elements at positions 98, 414,539,282,571,368,256,292,238 and 270 simultaneously on both parental alleles at a selected number of positions in HLA -A, comprised of the steps for each position
a) hybridising a combination of oligonucleotides complementary to all known sequence variants to a DNA strand upstream of a given position
b) carrying out a primer extension reaction with at least one of the four dNTP substrates substituted by a terminating analog
c) analysing the products by mass spectrometry, with the resulting masses allowing unambiguous identification of the used primers and added bases; kit for the implementation of such method; use of such method for screening of tissue donors.

Invention 2: 1-8, 18-20 (all partially), 10,14,15 (completely)

Method for HLA typing of HLA-B by the unambiguous determination of short DNA sequence elements at positions 539,419,559,412,272,362,302,363,206 and 369 simultaneously on both parental alleles at a selected number of positions in HLA-B, comprised of the steps for each position
a) hybridising a combination of oligonucleotides complementary to all known sequence variants to a DNA strand upstream of a given position
b) carrying out a primer extension reaction with at least one of the four dNTP substrates substituted by a terminating analog
c) analysing the products by mass spectrometry, with the resulting masses allowing unambiguous identification of the used primers and added bases; kit for the implementation of such method; use of such method for screening of tissue donors.

Invention 3: claims 1-8, 18-20 (all partially), 11,16,17 (completely)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Method for HLA typing of HLA-DRB1 by the unambiguous determination of short DNA sequence elements at positions 125,196,197,227,261,286,299,308,341 and 345 simultaneously on both parental alleles at a selected number of positions in HLA-DRB1, comprised of the steps for each position
a) hybridising a combination of oligonucleotides complementary to all known sequence variants to a DNA strand upstream of a given position
b) carrying out a primer extension reaction with at least one of the four dNTP substrates substituted by a terminating analog
c) analysing the products by mass spectrometry, with the resulting masses allowing unambiguous identification of the used primers and added bases; kit for the implementation of such method; use of such method for screening of tissue donors.

Inventions 4-246: claim 21 (partially)

Invention 4:
Use of the primer with Seq.ID 1 to carry out HLA typing.
..ibidem for inventions 5-246, i.e. each of the 242 primers listed in table IV,V and VI.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/IB2004/004115

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 0065088 A	02-11-2000	AU 5062500 A	10-11-2000
		WO 0065088 A2	02-11-2000
WO 0208462 A	31-01-2002	EP 1176212 A1	30-01-2002
		AU 8435101 A	05-02-2002
		CA 2417201 A1	31-01-2002
		EP 1303638 A1	23-04-2003
		WO 0208462 A1	31-01-2002
		US 2004053260 A1	18-03-2004
WO 0218659 A	07-03-2002	AU 8917701 A	13-03-2002
		CA 2421078 A1	07-03-2002
		CN 1501982 A	02-06-2004
		JP 2004520812 T	15-07-2004
		WO 0218659 A2	07-03-2002
		US 2003082549 A1	01-05-2003
US 5451512 A	19-09-1995	AU 2748592 A	06-05-1993
		BR 9204280 A	11-05-1993
		CA 2081582 A1	06-05-1993
		CN 1073484 A	23-06-1993
		EP 0540997 A1	12-05-1993
		FI 924999 A	06-05-1993
		JP 8066197 A	12-03-1996
		NO 924246 A	06-05-1993
		NZ 244924 A	26-07-1994
		ZA 9208374 A	13-05-1993

BNSDOCID: <WO_____2005052189A3_I_>